



PLAN OF RESIDENTIAL DRIVEWAY CONNECTION
BASE/ASPHALT/CONCRETE



PLAN OF COMMERCIAL DRIVEWAY CONNECTION
ASPHALT/CONCRETE



DRIVEWAY WITH CULVERT
CROSS SECTION

NOTES:

DRAINAGE SHALL BE ADDRESSED BY ONE OF THREE OPTIONS:

- 1) DIP
- 2) CONSTANT SLOPE
- 3) CULVERT

NO OTHER IMPROVEMENTS THAT PROJECT ABOVE EXISTING GRADE SHALL BE ALLOWED WITHIN THE COUNTY RIGHT OF WAY.

WATER MUST FLOW FREELY THROUGH CULVERT PIPE OR OVER DIP TYPE DRIVEWAY.

IT IS RECOMMENDED THAT THE CONTRACTOR CONTACT THE WILSON COUNTY PERMITTING OFFICE FOR A PRE-POUR INSPECTION PRIOR TO POURING CONCRETE OR PLACING ASPHALT.



KCI TECHNOLOGIES, INC.

11550 IH 10 WEST, SUITE 395
SAN ANTONIO, TEXAS 78230-1037

PHONE: (210) 641-9999

FAX: (210) 641-6440

REGISTRATION #F-10573 / #101943-65

DESIGNED BY: DOUGLAS V. DICICCIO, P.E.

DRAWN BY: DOUGLAS V. DICICCIO, P.E.

CHECKED BY: JOHN T. MOONEYHAM, P.E.

DATE: 04/11/2023

JOB NO.: WILSON COUNTY DEVELOPMENT OFFICE

WILSON COUNTY PERMIT AND DEVELOPMENT OFFICE
COURTHOUSE ANNEX II
800 TENTH ST. BUILDING B
FLORESVILLE, TX 78114
PHONE: 830-393-8357

**DRIVEWAY DETAIL
STANDARD**

SHEET NO.

1

OF 1