

JACKSON COUNTY SERVICES BUILDING RENOVATION

PERMIT AND PRICING SET

OCTOBER 29, 2024

ARCHITECT

PLANNING PLACE CONSULTING, LLC
1504 W. GAYLE STREET
EDNA, TEXAS 77957

kimberly.mercer@outlook.com


210.413.0650

SHEET INDEX

A000	COVER
A001	CODE AND NOTES
A002	SCHEDULES
A100	DEMOLITION
A200	FLOOR PLAN
A300	REFLECTED CEILING PLAN
A400	ENLARGED PLANS
A500	INTERIOR ELEVATIONS
A501	INTERIOR ELEVATIONS
A600	MILLWORK DETAILS



1504 W. GAYLE STREET
EDNA, TEXAS 77957
210.413.0650
kimberly.mercer@outlook.com



MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

OWNER:
**JACKSON
COUNTY**


PROJECT:
**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008
DRAWN BY: KEM
CHECKED BY: KEM

SHEET NAME:
COVER

SHEET NUMBER:
A000



PROJECT NOTES

- A. THE CONTRACT DOCUMENTS ARE INTENDED TO INCLUDE ALL ITEMS NECESSARY FOR THE PROPER EXECUTION OF THE WORK. THE CONTRACT DOCUMENTS ARE COMPLEMENTARY; REVIEW ALL OF THE CONTRACT DOCUMENTS AND CORRELATE THE INTENT OF EACH PART IN THE EXECUTION OF THE PROJECT. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT BEFORE PROCEEDING WITH ANY WORK IN QUESTION. NO EXTRA PAYMENTS WILL BE ALLOWED FOR CLAIMS FOR ADDITIONAL WORK THAT COULD HAVE BEEN DETERMINED OR ANTICIPATED BY SUCH REVIEW.
- B. PERFORM THE WORK IN ACCORDANCE WITH APPLICABLE CODES, REGULATIONS, AND ORDINANCES OF THE RELEVANT AUTHORITIES HAVING JURISDICTION.
- C. SECURE AND PAY ALL PERMITS, FEES, INSPECTIONS, AND TAXES, UNLESS OTHERWISE NOTED.
- D. KEEP THE AREA OF WORK FREE FROM THE DAILY ACCUMULATION OF WASTE MATERIALS AND RUBBISH. DISPOSE OF WASTE MATERIAL AS DIRECTED BY THE OWNER AND/OR IN A LEGAL MANNER.
- E. CONTRACTOR IS RESPONSIBLE FOR COMPLIANCE WITH ANY REQUIREMENTS REGARDING HAZARDOUS MATERIALS IN THE CONTRACT DOCUMENTS OR FROM ANY AUTHORITY HAVING JURISDICTION.
- F. CAREFULLY EXAMINE THE SITE TO DETERMINE THE SCOPE OF WORK AND THE CONDITIONS UNDER WHICH IT IS TO BE EXECUTED. REVIEW CONTRACT DOCUMENTS AND FIELD CONDITIONS, CONFIRM THAT THE WORK IS BUILDABLE AS SHOWN BEFORE SUBMITTING ANY PRICING OR PROCEEDING WITH THE WORK. REVIEW EXISTING INFORMATION, REQUIREMENTS, AND SITE CONDITIONS WITH BUILDING MANAGEMENT. OBTAIN CLARIFICATION FROM THE ARCHITECT BEFORE PROCEEDING WITH ANY WORK IN QUESTION. NO EXTRA PAYMENTS WILL BE ALLOWED FOR CLAIMS FOR ADDITIONAL WORK THAT COULD HAVE BEEN DETERMINED OR ANTICIPATED BY SUCH REVIEW.
- G. INSTALL MANUFACTURED ITEMS, FINISHES, MATERIALS, AND EQUIPMENT ACCORDING TO THE MANUFACTURER'S REQUIREMENTS AND SPECIFICATIONS. PREPARE SURFACE OR SUBSTRATE TO RECEIVE NEW SCHEDULED FINISHES OR MATERIALS IN ACCORDANCE WITH MANUFACTURER'S REQUIREMENTS.
- H. ALL WORK TO BE ERECTED PLUMB AND TRUE-TO-LINE IN ACCORDANCE WITH BEST PRACTICES OF THE TRADE AND MANUFACTURER'S REQUIREMENTS.
- I. DOCUMENT CONDITIONS WHEN DIFFERENT FROM THE CONTRACT DOCUMENTS AND TRANSMIT THEM TO THE OWNER UPON COMPLETION OF THE WORK. MAINTAIN AT THE SITE ONE RECORD COPY OF ALL DOCUMENTS, INCLUDING THE PERMIT SET, APPROVED SHOP DRAWINGS, SPECIFICATIONS, ADDENDA, CHANGE ORDERS, AND OTHER MODIFICATIONS TO THE WORK; IN GOOD ORDER AND MARKED TO REFLECT ALL CHANGES.
- J. PROVIDE ANCHORING, BRACING, AND/OR BLOCKING WHERE SCHEDULED OR REQUIRED. ANCHORING, BRACING, AND/OR BLOCKING TO BE FIRE RETARDANT TREATED OR MADE OF NON-COMBUSTIBLE MATERIALS IN ACCORDANCE WITH THE RELEVANT AUTHORITY HAVING JURISDICTION.
- K. RELOCATION OF ITEMS SCHEDULED OR REQUIRED BY THE CONTRACT DOCUMENTS IS SUBJECT TO THE CONTRACTOR'S ABILITY TO DO SO WITHOUT DAMAGING THE ITEMS. IF THE CONTRACTOR IS UNABLE TO, OR ELECTS NOT TO RELOCATE ANY ITEM, SUBSTITUTE NEW TO MATCH EXISTING.
- L. EXISTING-TO-REMAIN CONSTRUCTION, SYSTEMS, OR ELEMENTS ARE TO BE PROTECTED DURING THE EXECUTION OF THE WORK. EXISTING CONSTRUCTION, SYSTEMS, OR ELEMENTS THAT HAVE BEEN DISTURBED, DAMAGED, OR ALTERED DURING THE WORK ARE TO BE RESTORED TO THEIR PREVIOUS CONDITION, FINISH, AND/OR FUNCTIONALITY, UNLESS OTHERWISE NOTED OR REQUIRED.
- M. WORK AFFECTING EXISTING-TO-REMAIN RATED OR STRUCTURAL ELEMENTS OR ASSEMBLIES IS TO MAINTAIN THE EXISTING OR SCHEDULED RATING AND ASSEMBLY INTEGRITY. REVIEW AND COORDINATE PROPOSED WORK AFFECTING BUILDING ELEMENTS OR ASSEMBLIES WITH OWNER AND ARCHITECT.
- N. SUBMIT REQUESTS FOR SUBSTITUTION OF SPECIFIED ITEMS IN WRITING PRIOR TO INITIAL PRICING SUBMISSION. REQUESTS WILL BE CONSIDERED ONLY IF IMPROVED PERFORMANCE, SCHEDULE, OR A LOWER PRICE WITH CREDIT TO THE CONTRACT SUM WILL BE PROVIDED WITHOUT SACRIFICING QUALITY, APPEARANCE, AND FUNCTION. UNDER NO CIRCUMSTANCES WILL THE ARCHITECT BE REQUIRED TO PROVE THAT A PRODUCT PROPOSED FOR SUBSTITUTION IS OR IS NOT OF EQUAL QUALITY TO THE PRODUCT SPECIFIED.
- O. TO INSURE THE SPECIFIED PRODUCTS AND ASSEMBLIES ARE IN ACCORDANCE WITH THE DESIGN INTENT, SUBMIT SHOP DRAWINGS AND PRODUCT INFORMATION FOR REVIEW. SUBMIT INFORMATION FAR ENOUGH IN ADVANCE OF SCHEDULED CONSTRUCTION TO ALLOW FOR REVIEW, SCHEDULING OF ANY ADDITIONAL REVIEWS, REVISION, AND RESUBMITTAL.
- P. SUBMIT DRAWINGS AT AN ACCURATE SCALE, SUFFICIENTLY LARGE TO SHOW ALL PERTINENT FEATURES, AND INDICATE FINAL EXTENT OF MATERIALS, METHODS OF CONSTRUCTION AND INSTALLATION, FINISH MATERIALS AND SURFACES, PERTINENT DIMENSIONS, RELATION TO OTHER WORK, AND ANY PROPOSED DEVIATION FROM DESIGN INTENT.
- Q. PROPERLY IDENTIFY SHOP DRAWINGS, SAMPLES, AND PRODUCT INFORMATION WITH THE PROJECT NAME, CONTRACTOR'S AND SUBCONTRACTOR'S NAMES, MANUFACTURER, AND CORRESPONDING SUBMITTAL IDENTIFICATION FROM THE CONTRACT DOCUMENTS. PROVIDE ADEQUATE SPACE FOR PLACEMENT OF ALL REVIEW STAMPS. SUBMITTALS MUST HAVE THE CONTRACTOR'S EXECUTED STAMP AND ANY CORRESPONDING COMMENTS. SUBMITTALS NOT BEARING CONTRACTOR'S EXECUTED STAMP WILL BE RETURNED.
- R. DIGITAL SUBMITTAL OF SHOP DRAWINGS AND PRODUCT INFORMATION IS PREFERRED. IF PHYSICAL SUBMITTALS ARE SUBMITTED, PROVIDE TWO FULL COPIES; RETURNS WILL BE IN DIGITAL FORMAT.
- S. ITEMS TO BE SUBMITTED FOR REVIEW INCLUDE, BUT ARE NOT BE LIMITED TO:
- MILLWORK: CUSTOM CASEWORK AND RUNNING TRIM; SHOP DRAWINGS AND FINISH SAMPLES OF EACH TYPE AND PROFILE.
 - COUNTERTOPS: PRODUCT SAMPLES AND SHOP DRAWINGS (INCLUDING DIGITAL DRY-LAY PLAN OF SLABS IF PRODUCT IS NON-UNIFORM).
 - PAINT: SAMPLES OF EACH COLOR AND FINISH ON SAMPLE OF INTENDED MATERIAL, 9 INCH X 9 INCH (MAX) OR 9 INCH LENGTH (MAX).
 - CERAMIC TILE AND GROUT; PRODUCT CUT SHEETS, SAMPLES AND INSTALLATION DRAWINGS, INCLUDING DIGITAL DRY-LAY PLAN.
 - RESILIENT FLOORING AND BASE; PRODUCT CUT SHEETS, SAMPLE OF EACH TYPE AND DIGITAL DRY-LAY PLAN.
 - HARDWARE: PRODUCT INFORMATION AND SAMPLES.
 - TOILET PARTITIONS: PRODUCT INFORMATION AND SHOP DRAWINGS.
 - TOILET ACCESSORIES: PRODUCT INFORMATION AND INSTALLATION DRAWINGS.
 - CEILING GRID AND TILE: PRODUCT SAMPLES AND INFORMATION, SHOP DRAWINGS.
 - PLUMBING: PRODUCT INFORMATION.
 - ELECTRICAL: PRODUCT INFORMATION.

PROJECT INFORMATION

PROJECT DESCRIPTION:

PROJECT IS A LIMITED RENOVATION OF INTERIOR FINISHES, FIXTURES AND MINOR EXTERIOR WORK. IT WILL FOLLOW THE GUIDELINES OF THE 2018 INTERNATIONAL EXISTING BUILDING CODE. NO CHANGES TO THE OCCUPANCY OR USE ARE BEING MADE AS PART OF THIS PROJECT. NO CHANGES TO THE TYPE OF CONSTRUCTION ARE BEING MADE AS PART OF THIS PROJECT. THE PROJECT WILL MAINTAIN ALL LEVELS OF COMPLIANCE FOR THE EXISTING BUILDING CONDITION.

PROJECT ADDRESS:

411 NORTH WELLS
EDNA, TEXAS 77957

APPLICABLE CODES:

- 2018 INTERNATIONAL BUILDING CODE ORDINANCE 2022-06
- 2018 INTERNATIONAL PLUMBING CODE ORDINANCE 2022-07
- 2018 INTERNATIONAL RESIDENTIAL CODE ORDINANCE 2022-08
- 2018 ICC PERFORMANCE CODE FOR BUILDINGS AND FACILITIES ORDINANCE 2022-09
- 2018 INTERNATIONAL ENERGY CONSERVATION CODE ORDINANCE 2022-13
- 2018 INTERNATIONAL FIRE CODE ORDINANCE 2019-03 (WWW.JCESD3.ORG)
- 2018 INTERNATIONAL FUEL GAS CODE ORDINANCE 2022-11
- 2018 INTERNATIONAL MECHANICAL CODE ORDINANCE 2022-15
- 2018 INTERNATIONAL PROPERTY MAINTENANCE CODE ORDINANCE 2022-14
- 2018 INTERNATIONAL PRIVATE SEWAGE DISPOSAL CODE ORDINANCE 2022-12
- 2017 NATIONAL ELECTRIC CODE ORDINANCE 2022-10
- 2018 INTERNATIONAL SWIMMING POOL AND SPA CODE ORDINANCE 2022-16

PRICING INFORMATION

GENERAL CONTRACTOR TO PROVIDE ITEMIZED PRICING AS FOLLOWS:

ALLOWANCES

- PROVIDE A\$4,000.00 ALLOWANCE TO PURCHASE INTERIOR AND EXTERIOR SCONCES. REFER TO SHEET A300 LIGHT FIXTURE TYPE LF03. INSTALLATION COST SHOULD BE INCLUDED IN THE BASE BID.
- PROVIDE A \$1,500 ALLOWANCE TO PURCHASE PENDANT LIGHT FIXTURES. REFER TO SHEET A300 LIGHT FIXTURE TYPE LF04. INSTALLATION COST SHOULD BE INCLUDED IN THE BASE BID.
- PROVIDE A \$750 ALLOWANCE TO PURCHASE AN ADDITIONAL WALL MOUNTED DIRECTORY. INSTALLATION COST SHOULD BE INCLUDED IN THE BASE BID.

UNIT PRICING

PROVIDE A UNIT COST FOR THE FOLLOWING ITEMS. COST TO INCLUDES PURCHASE AND INSTALLATION.

- ADDITIONAL 2x4 ACOUSTIC CEILING TILE TO REPLACE DAMAGED TILES.
- ADDITIONAL CEILING GRID TO REPLACE DAMAGED GRID.
- ADDITIONAL 2x4 LIGHT FIXTURE TO REPLACE DAMAGED FIXTURE.

1504 W. GAYLE STREET
EDNA, TEXAS 77957

210.413.0650

kimberly.mercer@outlook.com



MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

OWNER:

JACKSON
COUNTY

PROJECT:

SERVICE BLDG.
RENOVATION

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM

CHECKED BY: KEM

SHEET NAME:

CODE AND NOTES

SHEET NUMBER:

A001

PLUMBING FIXTURE SCHEDULE			
TAG	DESCRIPTION	MANUFACTURER	MODEL INFORMATION AND NOTES
PL01	WALL HUNG TOILET	SLOAN	WETS-2450.1010 WATER CLOSET - ST-2459 AND FLUSHOMETER - 111 COMBINATION
PL02	URINAL	SLOAN	WEUS-700.1010 URINAL - SU-7009 AND FLUSHOMETER - 186 COMBINATION
PL03	UNDERMOUNT SINK	KOHLER	BRAZN 16 1/4" SQUARE UNDERMOUNT BATHROOM SINK K-21056-0 FINISH: WHITE
PL04	DROP IN SINK	ELKAY	CELEBRITY STAINLESS STEEL 43"x22"x7" TRIPLE BOWL DROP IN SINK CMR4322
PL05	DROP IN SINK	ELKAY	CELEBRITY STAINLESS STEEL 15"x15"x6 1/8" SINGLE BOWL DROP IN SINK BCR15
PL06	WALL HUNG SINK	ELKAY	WCL1923OSDC; INTEGRATED FAUCET
PL07	INTEGRAL SINK WITH EQUIPMENT	ULINE	INTEGRATED FAUCET, REFER TO EQUIPMENT SCHEDULE, EQ07
PL08	MOP SINK	ULINE	H-9527
PL09	FAUCET	KOHLER	K-45800-4-CP; ALTEO SINGLE HANDLE BATHROOM SINK FAUCET FINISH: POLISHED CHROME
PL10	FAUCET	KOHLER	K-596-CP; SIMPLICE PULL DOWN KITCHEN SINK FAUCET WITH THREE FUNCTION SPRAYHEAD; FINISH: POLISHED CHROME
PL11	FAUCET	ELKAY	LK406GN05L2 4" CENTERSET WITH 5" GOOSENECK SPOUT, 2" LEVER HANDLES, CHROME
PL12	FAUCET	ELKAY	LK940BP07T6H; 8" CENTERSET WALL MOUNT FAUCET W/7" BUCKET HOOK; 6IN WRISTBLADE HANDLES; POLISHED CHROME

TOILET ACCESSORY SCHEDULE				
TAG	DESCRIPTION	MANUFACTURER	MODEL INFORMATION	NOTES
TA01	TOILET PARTITION	HADRIAN	STANDARD SERIES; HEADRAIL BRACED POWDER COATED COLOR: 828 DOVETAIL	
TA02	URINAL SCREEN	HADRIAN	STANDARD SERIES; WALL MOUNTED POWDER COATED COLOR: 828 DOVETAIL	
TA03	PAPER TOWEL DISPENSER W/ WASTE RECEPTACLE	BOBRICK	B-43944	RECESSED
TA04	PAPER TOWEL DISPENSER	BOBRICK	B-4262	SURFACE MOUNTED
TA05	SOAP DISPENSER	BOBRICK	B-2111	SURFACE MOUNTED
TA06	TOILET TISSUE DISPENSER	BOBRICK	B-4288 MULTI-ROLL DISPENSER	SURFACE MOUNTED
TA07	SANITARY NAPKIN DISPENSER	BOBRICK	B-270	SURFACE MOUNTED
TA08	18"x36" MIRROR	BOBRICK	B-290 1836	
TA09	24"x36" BACKLIT MIRROR	BOBRICK	B-167 2436	
TA10	36" GRAB BAR	BOBRICK	B-6806 36" SATIN FINISH	
TA11	42" GRAB BAR	BOBRICK	B-6806 42" SATIN FINISH	
TA12	CHANGING TABLE	SALVAGED		SURFACE MOUNTED

EQUIPMENT SCHEDULE				
TAG	DESCRIPTION	MANUFACTURER	MODEL INFORMATION	NOTES
EQ01	REFRIGERATOR	KITCHENAID	KRFC704F - 24 CU FT COUNTER DEPTH FRENCH DOOR REFRIGERATOR WITH ICE AND WATER DISPENSER	115V 15 AMPS
EQ02	DOUBLE OVEN	KITCHENAID	KOED530PPS - 30" DOUBLE WALL OVEN WITH AIR FRY MODE PRINT SHIELD STAINLESS	
EQ03	ELECTRIC COOKTOP	KITCHENAID	KCES956KBL - 36" ELECTRIC COOKTOP WITH 5 ELEMENTS AND TOUCH ACTIVATED CONTROLS	
EQ04	WARMING CABINET	VULCAN	VP18 18 PAN NON INSULATED HEATED HOLDING AND PROOFING CABINET 25 1/4" W x 30 3/4" D x 71" H	HOLDS 18"x36" PANS 120V 2000 WATTS 16.7 AMPS
EQ05	REFRIGERATOR	TRUE	T-35-HC REACH IN SOLID SWING DOOR REFRIGERATOR 39.5" W x 29.5" D x 78 3/8" H	VOLTAGE: 115/60/1 5.6 AMPS
EQ06	CHEST FREEZER	GE	FCM7STWW 7.0 CU FT MANUAL DEFROST CHEST FREEZER WHITE	
EQ07	WORK TABLE WITH SINK	ULINE	H-8987 - 72"x30" WITH 4" BACKSPLASH AND BOTTOM SHELF SINK ON RIGHT SIDE INCLUDE OVERSHELVES TO MATCH WIDTH	
EQ08	WORK TABLE	ULINE	H-6261 - 72"x30" WITH 4" BACKSPLASH AND BOTTOM SHELF; INCLUDE OVERSHELVES TO MATCH WIDTH	
EQ09	STORAGE CABINET	ULINE	H-4460 - 48"x24"x74" WELDED INDUSTRIAL	PADLOCKABLE
EQ10	WIRE SHELVING		2 SHELF WIRE SHELVING CASTERS 18" DEEP AND FITS UNDER COUNTER	

MATERIAL SCHEDULE					
TAG	MATERIAL TYPE	MANUFACTURER	MATERIAL DESCRIPTION	CODE INFORMATION	INSTALLATION NOTES
WALL BASE					
BS01	RUBBER BASE	ROPPE	TYPE: PINNACLE PROFILE: COVE HEIGHT: 4" COLOR: TO BE SELECTED FROM MANUFACTURER'S STD RANGE		LOCATION: ALL PAINTED WALLS INSIDE CORNERS - JOB FORMED OUTSIDE CORNERS - JOB FORMED
SOFFIT BOARDS					
FC01	FIBER CEMENT PANEL	HARDIE	TYPE: HARDIE SOFFIT PANELS NON-VENTED CEDAR MILL, FACTORY PRIMED FINISH: ACRYLIC PAINT COLOR: TBD		LOCATION: EXTERIOR PORCH SOFFIT
WALL PANELS					
FP01	FIBERGLASS REINFORCED PLASTIC	MARLITE	TYPE: SYMMETRIX SMARTSEAM STYLE: SUBWAY HORIZONTAL 6'X3' COLOR: WHITE WITH WHITE GROUT LINES SS100 FINISH: SATIN		LOCATION: CATERING KITCHEN WALLS
PLASTIC LAMINATE					
PL01	PLASTIC LAMINATE	WILSONART	STYLE: HPL COLOR AND FINISH: FROM MANUFACTURER'S STANDARD MILLWORK GRADE: CUSTOM	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: KITCHEN CLASSROOM AND JANITOR'S STORAGE MILLOWORK
PL02	PLASTIC LAMINATE	WILSONART	STYLE: HPL COLOR AND FINISH: FROM MANUFACTURER'S STANDARD MILLWORK GRADE: CUSTOM	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: AUDITORIUM RESTROOMS MILLWORK
PL03	PLASTIC LAMINATE	WILSONART	STYLE: HPL COLOR AND FINISH: FROM MANUFACTURER'S STANDARD MILLWORK GRADE: CUSTOM	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: HALL RESTROOMS MILLWORK

PAINTS AND STAINS					
PT01	PAINT	SHERWIN WILLIAMS	TYPE: COLOR: SW 7036 ACCESSIBLE BEIGE SHEEN: EGGSHELL	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: HALL, STORAGE, OFFICE AND KITCHEN CLASSROOM WALLS APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT02	PAINT	SHERWIN WILLIAMS	TYPE: LATEX COLOR: SW 7042 SHOJI WHITE SHEEN: EGGSHELL	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: AUDITORIUM WALLS APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT03	PAINT	SHERWIN WILLIAMS	TYPE: LATEX COLOR: SW 7621 SILVER MIST SHEEN: EGGSHELL	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: RESTROOM WALLS ABOVE TILE WAINSOOT APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT04	PAINT	SHERWIN WILLIAMS	TYPE: LATEX COLOR: SW 0038 LIBRARY PEWTER SHEEN: EGGSHELL	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: AUDITORIUM ACCENT WALL APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT05	PAINT	SHERWIN WILLIAMS	TYPE: LATEX COLOR: SW 0038 LIBRARY PEWTER SHEEN: SEMI-GLOSS	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: INTERIOR DOORS AND TRIM APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT06	PAINT	SHERWIN WILLIAMS	TYPE: LATEX COLOR: SW 6186 DRIED THYME SHEEN: EGGSHELL	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: ACCENT WALL APPLICATION: ONE (1) PRIMER COAT AND TWO (2) FINISH COATS. REMARKS: APPLY PAINT ACCORDING TO MANUFACTURER'S WRITTEN INSTRUCTIONS
PT07	STAIN	SHERWIN WILLIAMS	TYPE: TO BE SELECTED FROM STANDARD RANGE COLOR: TO BE SELECTED FROM STANDARD RANGE		LOCATION: AUDITORIUM STAGE

DOOR SCHEDULE					
NO.	ROOM	TYPE	SIZE	FRAME	NOTES
101	OFFICE 214A	SINGLE FLUSH WOOD PAINTED DOOR. MATCH EXISTING HARDWARE. USE EXISTING HARDWARE IF POSSIBLE	3'-0" WIDE - MATCH EXISTING HEIGHT	ALUMINUM	
102	MAINTENANCE 214	PAIR HOLLOW METAL SWING DOOR STORE ROOM LOCK TOP AND BOTTOM FLUSH BOLT ON SECOND LEAF.	6'-0" WIDE - MATCH EXISTING HEIGHT	HOLLOW METAL	CONFIRM WIDTH - MATCH EXISTING WALL OPENING
103	STORAGE 119A	PAIR FLUSH WOOD POCKET DOORS	4'-0" WIDE - MATCH EXISTING HEIGHT	ALUMINUM	
104	KITCHEN CLASSROOM 119	SALVAGED DOOR TO BE REINSTALLED	EXISTING	SALVAGED FRAME REINSTALLED	
105	HALL 104	EXISTING SINGLE DOOR TO REMAIN	EXISTING SINGLE DOOR TO REMAIN	EXISTING TO REMAIN	INSTALL NEW NORTON 1600 DOOR CLOSER
106	HALL 102	EXISTING PAIR OF DOORS TO REMAIN	EXISTING PAIR OF DOORS TO REMAIN	EXISTING TO REMAIN	INSTALL NEW NORTON 1600 DOOR CLOSER AT EACH DOOR
107	HALL 108	EXISTING SINGLE DOOR TO REMAIN	EXISTING SINGLE DOOR TO REMAIN	EXISTING TO REMAIN	INSTALL NEW NORTON 1600 DOOR CLOSER
108	HALL 104	EXISTING SINGLE DOOR TO REMAIN	EXISTING SINGLE DOOR TO REMAIN	EXISTING TO REMAIN	INSTALL NEW NORTON 1600 DOOR CLOSER

MATERIAL SCHEDULE					
TAG	MATERIAL TYPE	MANUFACTURER	MATERIAL DESCRIPTION	CODE INFORMATION	INSTALLATION NOTES
COUNTERTOPS					
ST01	GRANITE		TYPE: LEVEL1 COLOR: TO BE SELECTED THICKNESS: 3 CM JOINT THICKNESS: 1/16" JOINT COLOR: TO MATCH STONE MATCHING: END MATCH		LOCATION: KITCHEN CLASSROOM AND JANITOR'S STORAGE COUNTERS AND BACKSPLASH EDGE DETAIL: STRAIGHT, 1/8" EASED
ST02	GRANITE		TYPE: LEVEL1 COLOR: TO BE SELECTED THICKNESS: 3 CM JOINT THICKNESS: 1/16" JOINT COLOR: TO MATCH STONE MATCHING: END MATCH		LOCATION: AUDITORIUM RESTROOMS COUNTERS EDGE DETAIL: STRAIGHT, 1/8" EASED
ST03	GRANITE		TYPE: LEVEL1 COLOR: TO BE SELECTED THICKNESS: 3 CM JOINT THICKNESS: 1/16" JOINT COLOR: TO MATCH STONE MATCHING: END MATCH		LOCATION: HALL RESTROOMS COUNTERS EDGE DETAIL: STRAIGHT, 1/8" EASED

FLOOR AND WALL TILE					
TL01	CERAMIC TILE	ANATOLIA	TYPE: SOHO COLLECTION COLOR: CANVAS WHITE PATTERN: 4x12 SUBWAY FINISH: PRESSED GLOSSY BASE: MATCHING COVE BASE TRIM: SCHLUTER QUADEC TRIM GROUT: MAPEI, SANDED, CEMENTITIOUS; KERACOLOR SF; COLOR - TBD FROM STANDARD RANGE	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: RESTROOMS WALLS TRIM AT TOP OF TILE WAINSOOT AND AT OUTSIDE CORNERS. INSTALL IN A BRICK PATTERN
TL02	PORCELAIN TILE	ANATOLIA	TYPE: SOHO COLLECTION, PATTERNED MOSAIC COLOR: AFTERNOON BLEND PATTERN: CHAIN PATTERN MOSAIC FINISH: MATTE GROUT: MAPEI, SANDED, CEMENTITIOUS; KERACOLOR SF; COLOR - TBD FROM STANDARD RANGE	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: AUDITORIUM RESTROOMS FLOORS
TL03	CERAMIC TILE	ANATOLIA	TYPE: SOHO COLLECTION COLOR: CANVAS WHITE PATTERN: 3x6 SUBWAY FINISH: PRESSED GLOSSY GROUT: MAPEI, SANDED, CEMENTITIOUS; KERACOLOR SF; COLOR - TBD FROM STANDARD RANGE	FLAME/SMOKE INDEX CLASS (ASTM E 84): E	LOCATION: KITCHEN CLASSROOM BACKSPLASH

VINYL TILE FLOORING					
LVT01	LUXURY VINYL TILE	KARNDKAN	TYPE: LOOSE LAY STYLE: ANTIQUE HEART PINE LVP303 SIZE: 59"x10" THICKNESS: 4.5mm		REFER TO SHEET A200 FOR INSTALLATION PATTERN.
VCT01	VINYL COMPOSITION TLE	ARMSTRONG	TYPE: STANDARD EXCELON IMPERIAL TEXTURE SIZE: 12X12 COLOR: 51899 COOL WHITE		INSTALL PATTERN: QUARTER TURN
VCT02	VINYL COMPOSITION TLE	ARMSTRONG	TYPE: STANDARD EXCELON IMPERIAL TEXTURE SIZE: 12X12 COLOR: 51804 EARTHSTONE GREIGE		INSTALL PATTERN: QUARTER TURN
VCT03	VINYL COMPOSITION TLE	ARMSTRONG	TYPE: STANDARD EXCELON IMPERIAL TEXTURE SIZE: 12X12 COLOR: 51899 COOL WHITE AND 51872 TEA GARDEN GREEN		INSTALL PATTERN: QUARTER TURN CHECKER BOARD. 45 DEGREES TO THE DIRECTION OF THE ROOM

LIGHT FIXTURE SCHEDULE				
TAG	DESCRIPTION	MANUFACTURER	MODEL INFORMATION	NOTES
LF01	2x4 RECESSED	REUSE SALVAGED FIXTURE		
LF02	DOWNLIGHT	LIGHTOLIER	CALCULITE LED 4" ROUND COMFORT CLEAR FINISH WITH WHITE FLANGE MATCH COLOR TEMP TO EXISTING 2X4 FIXTURES MEDIUM BEAM	
LF03	SCONCE	TBD	TBD	REFER TO ALLOWANCE SHEET A001.
LF04	PENDANT	TBD	TBD	REFER TO ALLOWANCE SHEET A001.
LF05	18"x36" BACKLIT MIRROR	BOBRICK		REFER TO TOILET ACCESSORY SCHEDULE, TA08
LF06	24"x36" BACKLIT MIRROR	BOBRICK		REFER TO TOILET ACCESSORY SCHEDULE, TA09



1504 W. GAYLE STREET
EDNA, TEXAS 77957

210.413.0650

kimberly.mercer@outlook.com



MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING



MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

GENERAL NOTES

- A. THE CONTRACT DOCUMENTS ARE A COMPLEMENTARY SET OF DRAWINGS TO DESCRIBE THE SCOPE OF WORK. THE CONTRACTOR SHALL REVIEW AND CORRELATE THE INTENT OF EACH PART IN THE EXECUTION OF THE WORK. CONTRACTOR IS RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT ON ANY ITEMS OR ISSUES IN QUESTION BEFORE PROCEEDING.
- B. DO NOT BLOCK BUILDING EXITS DURING CONSTRUCTION.
- C. DEMOLISH AND REMOVE ALL ITEMS SHOWN WITH A GRAY-TONE, DASHED LINE FROM THE SITE, UNLESS NOTED OTHERWISE. IDENTIFY ITEMS SCHEDULED FOR SALVAGE, REUSE, OR RECYCLE FOR APPROPRIATE DISPOSAL OR AS DIRECTED BY OWNER. DEMOLITION WORK IS TO BRING THE FLOOR TO A CLEAN SLAB CONDITION. CARE SHALL BE TAKEN DURING DEMOLITION SO AS NOT TO DAMAGE OR ALTER ANY EXISTING STRUCTURAL MEMBERS. THE OWNER AND ARCHITECT SHALL BE NOTIFIED IMMEDIATELY IF ANY DAMAGE OCCURS OR IS DISCLOSED DURING DEMOLITION.
- D. ELEMENTS SCHEDULED FOR REMOVAL; OUTLETS, CONDUIT, WIRING, PLUMBING FIXTURES, ETC., ARE TO BE DEMOLISHED BACK TO THEIR CONNECTION TO A MAJOR BUILDING SYSTEM.
- E. EXISTING SIGNAGE WITHIN THE WORK AREA TO BE REMOVED AND STORED FOR REINSTALLATION AT SAME LOCATIONS AT COMPLETION OF SCOPE OF WORK.
- F. PROTECT ALL EXISTING ELEMENTS TO REMAIN.

KEY NOTES

- NOT IN CONTRACT. NO WORK TO BE PERFORMED IN THIS AREA.
- REMOVE VCT FLOORING AND RUBBER BASE. PREP FLOOR TO RECEIVE NEW FINISH.
- REMOVE WALL FINISH BACK TO STUDS.
- DEMOLISH GYPSUM BOARD WALL IN THIS LOCATION.
- DEMOLISH DOOR AND FRAME.
- DEMOLISH ALL CABINETS AND COUNTERS.
- REMOVE AND DISPOSE OF ALL EQUIPMENT.
- REMOVE AND DISPOSE OF PLUMBING FIXTURES, TOILET ACCESSORIES, AND TOILET PARTITIONS.
- DEMOLISH FURR DOWN.
- REMOVE AND SALVAGE ACOUSTIC CEILING TILE.
- IN THIS ROOM: REMOVE AND SALVAGE CEILING TILE AND LIGHTS. DEMOLISH CEILING TILE GRID. ALL CEILING FIXTURES AND EQUIPMENT TO REMAIN AND BE REINSTALLED IN NEW GRID.
- REMOVE WALL SCUNCES.
- REMOVE AND DISPOSE OF WATER FOUNTAIN.
- SALVAGE AED FOR RELOCATION. REFER TO SHEET A200 FOR NEW LOCATION.
- REMOVE AND SALVAGE DOOR AND FRAME FOR REINSTALLATION AT NEW LOCATION.
- REMOVE EXTERIOR CEILING TILE SOFFIT AND GRID.
- REMOVE AND SALVAGE CHANGING TABLE FOR REINSTALLATION.
- REMOVE WALLPAPER FROM GYP BOARD FURR DOWN AT CABINETS.

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM


CHECKED BY: KEM

SHEET NAME:

DEMOLITION PLAN

SHEET NUMBER:

A100





MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

GENERAL NOTES

- THE CONTRACT DOCUMENTS ARE A COMPLEMENTARY SET OF DRAWINGS TO DESCRIBE THE SCOPE OF WORK. THE CONTRACTOR SHALL REVIEW AND CORRELATE THE INTENT OF EACH PART IN THE EXECUTION OF THE WORK. CONTRACTOR IS RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT ON ANY ITEMS OR ISSUES IN QUESTION BEFORE PROCEEDING.
- ALL NEW AND EXISTING-TO-REMAIN GYPSUM BOARD SURFACES WITHIN THE AREA OF WORK TO BE PAINTED "PT01", UNLESS NOTED OTHERWISE.
- FLOORING TO BE "VCT01" AND BASE TO BE "BS01", TYPICAL UNLESS NOTED OTHERWISE OR OTHERWISE REQUIRED BY THIS DRAWING.
- DOORS WITHOUT SYMBOLS AND IN THE AREA OF WORK ARE EXISTING-TO-REMAIN; PAINT BOTH SIDES OF DOOR AND THE FRAME PT04.
- FOR CRITICAL DIMENSIONS OF PARTITIONS, PLUMBING FIXTURES AND ACCESSORIES IN ACCESSIBLE RESTROOM STALLS, REFER TO SHEET A400.
- ALL DIMENSIONS ARE MEASURED FROM FINISHED FACE TO FINISHED FACE, UNLESS NOTED OTHERWISE.
- LOCATE NEW DOORS SUCH THAT THE INSIDE FACE OF THE HINGE JAMB IS 4 INCHES FROM THE NEAREST INTERSECTING PARTITION, UNLESS NOTED OTHERWISE.
- WHERE PARTITIONS ARE SHOWN ALIGNED WITH MORE THAN ONE SURFACE OR ELEMENT, ALIGN WITH THE FURTHEST PROJECTION AND BUILD OUT OTHER SURFACES TO THAT LINE.
- ALL WOOD BLOCKING NOTED IN CONTRACT DOCUMENTS TO BE FIRE-RETARDANT TREATED.
- REFER TO MATERIAL SCHEDULE FOR SPECIFICATIONS, INSTALLATION INFORMATION AND OTHER APPLICABLE DATA. REFER TO REFLECTED CEILING PLANS, ELEVATIONS AND DOOR TYPES SHEETS FOR ADDITIONAL FINISH MATERIAL LOCATIONS.
- ADHESIVES, SEALERS AND PAINTS TO BE LOW VOC UNLESS OTHERWISE NOTED.
- FLOORING TRANSITIONS AT DOOR OPENINGS ARE TO ALIGN WITH THE CENTERLINE OF THE CLOSED DOOR, UNLESS OTHERWISE NOTED.
- LOCATE TELECOMMUNICATIONS, POWER, AND OTHER OUTLETS AND DEVICES AS SHOWN ON THIS DRAWING. IF ANY OUTLET OR DEVICE CANNOT BE INSTALLED AS NOTED OR SHOWN DUE TO CONFLICTS, OBTAIN CLARIFICATION FROM ARCHITECT BEFORE PROCEEDING.
- REFER TO SHEET A400 FOR TYPICAL OUTLET PLACEMENT.
- ALL OUTLETS TO REMAIN UNLESS OTHERWISE NOTED.
- REMOVE ALL BULLETIN BOARDS AND DIRECTORIES PRIOR TO PAINTING WALLS. COORDINATE WITH OWNER FOR STORAGE AND RE-INSTALLATION.

KEY NOTES

- NOT IN CONTRACT. NO WORK TO BE PERFORMED IN THIS AREA.
- INSTALL NEW 5/8" GYPSUM BOARD ON EXISTING STUDS.
- INSTALL NEW GYPSUM BOARD WALL WITH 3-5/8" METAL STUDS AND ONE LAYER 5/8" GYPSUM BOARD ON EACH SIDE.
- INSTALL NEW 5/8" GYPSUM BOARD ON EXISTING STUDS AS BASE FOR CERAMIC TILE WAINSCOT.
- INSTALL NEW WALL AT EXISTING DOOR OPENING. MATCH STUD SIZE AND INSTALL PANELING TO MATCH ON BOTH SIDES. PANELING SHOULD BE A SECTION THE ENTIRE HEIGHT OF THE WALL AND BLEND WITH THE EXISTING WALL FINISH.
- AED AT THIS LOCATION. RELOCATED FROM CATERING KITCHEN.
- CENTER FLOORING PATTERN IN THIS ROOM.
- TRANSITION BETWEEN VCT AND LVT TO BE SCHLUTER ____
- TRANSITION BETWEEN LVT AND TILE TO BE SCHLUTER ____
- REFER TO INTERIOR ELEVATIONS FOR ADDITIONAL FINISH INFORMATION.
- INSTALL NEW BACKER ROD AND SEALANT AT VERTICAL EXPANSION JOINT IN BRICK. COLOR TO BE SIMILAR TO MORTAR.
- LVT01 STACKED PATTERN BORDER, 2 TILES WIDE.
- LVT01 STACKED PATTERN IN THIRDS. CENTER PATTERN WITHIN THE BORDER.
- JOINT BETWEEN EXISTING VCT AND NEW VCT. TRIM EXISTING VCT TO ALIGN THE JOINT AS SHOWN.
- LVT01 STACKED BORDER, 1 TILE WIDE.

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM


CHECKED BY: KEM

SHEET NAME:

FLOOR PLAN

SHEET NUMBER:

A200





MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

GENERAL NOTES

- THE CONTRACT DOCUMENTS ARE A COMPLEMENTARY SET OF DRAWINGS TO DESCRIBE THE SCOPE OF WORK. THE CONTRACTOR SHALL REVIEW AND CORRELATE THE INTENT OF EACH PART IN THE EXECUTION OF THE WORK. CONTRACTOR IS RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT ON ANY ITEMS OR ISSUES IN QUESTION BEFORE PROCEEDING.
- IN AREAS WITH CEILING TILE PATTERN SHOWN, INSTALL NEW GRID TO MATCH EXISTING AND SALVAGED CEILING TILES TO GREATEST EXTENT POSSIBLE WITH NEW TO MATCH AS NEEDED, UNLESS NOTED OTHERWISE.
- IN AREAS WITH CEILING TILE PATTERN SHOWN, REINSTALL ANY DEVICES IN THE CEILING IN THEIR CURRENT LOCATIONS, INCLUDING, BUT NOT LIMITED TO, SPRINKLERS, CAMERAS, STROBES, EXIT SIGNS, ETC.
- LOCATE CEILING-MOUNTED DEVICES, SUCH AS LIGHT FIXTURES, PROJECTION EQUIPMENT, ETC., AS SHOWN ON THIS DRAWING. VERIFY DISCREPANCIES WITH THE ARCHITECT PRIOR TO INSTALLATION.
- CENTER RECESSED DOWNLIGHTS, WALL WASHERS, SPRINKLER HEADS, STROBES, OCCUPANCY SENSORS AND OTHER CEILING MOUNTED DEVICES IN THE INDICATED CEILING TILES, UNLESS NOTED OTHERWISE.
- REFER TO MATERIAL SCHEDULE FOR FINISH TAGS SHOWN ON PLAN.
- PROVIDE AND INSTALL APPROPRIATE BRACING AND / OR REINFORCEMENT AS REQUIRED FOR FURR DOWNS, SOFFITS, ETC.
- SWITCH ONLY LIKE FIXTURES TOGETHER, UNLESS NOTED OTHERWISE.
- INSPECT CEILING TILE WITHIN THE AREA OF WORK AND REPLACE AS NEEDED WITH CEILING TILE TO MATCH. PROVIDE UNIT PRICE FOR REPLACEMENT. REFER TO SHEET A001 FOR UNIT COST INFORMATION.
- CEILING HEIGHTS ARE TO MATCH EXISTING UNLESS OTHERWISE NOTED.

KEY NOTES

- NOT IN CONTRACT. NO WORK TO BE PERFORMED IN THIS AREA.
- CENTER CEILING TILE IN THIS AREA.
- INSTALL SCONCE LIGHT FIXTURE AT 7'-6" ABOVE FINISH FLOOR TO THE CENTER OF THE FIXTURE. COORDINATE FINAL HEIGHT WITH ARCHITECT AFTER DEMOLITION. HEIGHT MAY BE ADJUSTED BASED ON EXISTING CONDITIONS.
- INSTALL PENDANT LIGHT FIXTURE AT 8'-6" ABOVE FINISH FLOOR TO THE BOTTOM OF THE FIXTURE.
- NEW SOFFIT BOARDS, PAINT. INSTALL SUPPORT FRAMING AS NEEDED TO INSTALL BOARDS TO THE MANUFACTURER'S RECOMMENDATIONS. IF LIGHTS ARE IN THE CEILING THEY SHOULD BE MAINTAINED.
- STARTING POINT FOR EXTERIOR SOFFIT BOARD INSTALLATION.
- ADJUST POSITION OF THE SWITCHES IN THIS AREA TO BE NEAT AND ALL ALIGNED AT 42" ABOVE THE FINISH FLOOR.
- INSTALL NEW SCONCE AT EXISTING HEIGHT.
- INSPECT CEILING TILE TO REMAIN. REPLACE DAMAGED TILES TO MATCH EXISTING. REFER TO SHEET A001 FOR UNIT PRICING. CONFIRM LOCATIONS AND QUANTITIES WITH OWNER AND ARCHITECT PRIOR TO STARTING REPLACEMENT.
- GYP BOARD FURR DOWN.
- MODIFY FURR DOWN OVER CABINETS TO ALIGN WITH THE FACE OF THE CABINETS. BOTTOM OF FURR DOWN TO REMAIN AT THE SAME HEIGHT.

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM


CHECKED BY: KEM


SHEET NAME:

**REFLECTED
CEILING PLAN**


SHEET NUMBER:

A300







7 ENLARGED PLAN - KITCHEN CLASSROOM
SCALE: 3/8" = 1'-0"




6 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




5 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




3 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



4 ENLARGED PLAN - CATERING KITCHEN
SCALE: 3/8" = 1'-0"



1 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



2 ENLARGED PLAN - JANITOR STORAGE
SCALE: 3/8" = 1'-0"

GENERAL NOTES

- THE CONTRACT DOCUMENTS ARE A COMPLEMENTARY SET OF DRAWINGS TO DESCRIBE THE SCOPE OF WORK. THE CONTRACTOR SHALL REVIEW AND CORRELATE THE INTENT OF EACH PART IN THE EXECUTION OF THE WORK. CONTRACTOR IS RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT ON ANY ITEMS OR ISSUES IN QUESTION BEFORE PROCEEDING.
- COORDINATE WITH ARCHITECT AND EQUIPMENT INSTALLATION INSTRUCTIONS FOR NEW POWER REQUIREMENTS FOR APPLIANCES AND EQUIPMENT.
- CONNECT SINKS TO EXISTING WATER HEATERS.

MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING

OWNER:

JACKSON COUNTY

PROJECT:

SERVICE BLDG. RENOVATION

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM

CHECKED BY: KEM

SHEET NAME:


ENLARGED PLANS

SHEET NUMBER:


A400




MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING




11 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




7 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




3 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




10 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




6 ENLINTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




2 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"




13 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



9 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"



5 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"



1 INTERIOR ELEVATION - RESTROOM
SCALE: 3/8" = 1'-0"

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM

CHECKED BY: KEM

SHEET NAME:


**INTERIOR
ELEVATIONS**

SHEET NUMBER:


A501




MARK	DATE	DESCRIPTION
1	29 OCT 2024	ISSUE FOR PERMIT AND PRICING




11 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




7 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




3 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




10 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




6 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"




2 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



9 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



5 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"



1 ENLARGED PLAN - RESTROOM
SCALE: 3/8" = 1'-0"

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM


CHECKED BY: KEM

SHEET NAME:


**INTERIOR
ELEVATIONS**

SHEET NUMBER:


A501




8 ISLAND TYP SECTION
SCALE: 1 1/2" = 1'-0"



6 RESTROOM SINKS
SCALE: 1 1/2" = 1'-0"




4 KITCHEN CLASS. FRONT APPROACH SINK
SCALE: 1 1/2" = 1'-0"




HARDWARE TYPE	MANUFACTURER	MODEL NUMBER	REMARKS
PULL	HAFELE	155.00.951	HORIZONTAL INSTALLATION, MATTE NICKEL FINISH
HINGES	GRASS	NEXIS 125 SERIES	125 DEGREE OPENING, SELF-CLOSING
DRAWER GLIDES	ACCURIDE	38E2EC	LIGHT-DUTY (100LB), STEEL BALL BEARING, FULL EXTENSION, SOFT CLOSING
SILENCERS	3M	BUMPON SJ6553	CLEAR, SELF-ADHESIVE, 2 PER DOOR OR DRAWER
SHELF SUPPORT PINS	HAFELE	282.04.711	STEEL, NICKEL-PLATED


2 HARDWARE SCHEDULE
SCALE: NTS




7 STORAGE SECTION
SCALE: 1 1/2" = 1'-0"



5 KITCHEN CLASS TYP SECTION
SCALE: 1 1/2" = 1'-0"



3 KITCHEN CLASS TYP SECTION
SCALE: 1 1/2" = 1'-0"



1 KITCHEN CLASS TYP SECTION
SCALE: 1 1/2" = 1'-0"



MARK	DATE	DESCRIPTION
1	28 OCT 2024	ISSUE FOR PERMIT AND PRICING

OWNER:

**JACKSON
COUNTY**

PROJECT:

**SERVICE BLDG.
RENOVATION**

411 N. WELLS
EDNA, TEXAS 77957

PROJECT NUMBER: 24008

DRAWN BY: KEM

CHECKED BY: KEM

SHEET NAME:

**MILLWORK
DETAILS**

SHEET NUMBER:

A600