



May 2025 – Hardin County Health Inspections

- LaQuinta – 104 N. LHS Dr., Lumberton - all specifications met – earned a perfect score of 100
- Goings BBQ – 529 S. Main, Lumberton -thermometers missing in reach in coolers, back food storage room had an excessive number of flies - shall clean floors and containers that may be attracting flies, back door has gaps - allowing pest entry – earned a score of 96
- Shell Fast Lane #1 -all specifications met – earned a perfect score of 100
- Lions Delight- 1540 S. Pine St., Kountze – observed the time & temperature of commercially processed chili & cheese not being heated up correctly, ware washing sink was dirty to site, wet wiping cloths were hanging on the sinks, hot dogs & links were laying in the sink to thaw – earned a score of 93
- Buckn Bean Coffee House – 385 S. Pine St., Kountze - in between uses in- utensils were being stored in cold ice water – earned a score of 99
- Village Creek Roasters – 205 East Fox St., Kountze - all specifications met – earned a perfect score of 100
- Days Inn- 131 N. LHS Dr., Lumberton – all specifications were met – earned a perfect score of 100
- Mitchell’s Fish & Shrimp – 9651 Lake Olive Rd, Lumberton – all specifications were met - earned a perfect score of 100
- Southern Maid Donuts – 205 W. Ave N., Silsbee – containers holding food are not being washed before re stocking foods, cracked brittle lids on bulk containers were observed, cooler & underside of mixer were observed with flakes of food particles & were observed greasy, sponges & wet wiping clothes were laying in the sink & shall be in used cloth container for washing or in sanitizer water - earned a score of 93
- MET Early Head Start - 1155 Hwy 327 East, Silsbee, Tx 77656 - All specifications met- earned a perfect score of 100
- Dollar General - 42685 HWY 105, Batson, Tx 77519 - All specifications met- earned a perfect score of 100
- Paradigm at Kountze –604 FM Rd. 1293, Kountze, TX - Scored a 95 - Sanitizer bucket that was sitting didn't register any quat sanitizer. Made new bucket and then observed it at 150PPM. Hand sink in kitchen is temping at 83 degrees. Maintenance is working on issue.

- Mill Creek – 1105 W. HWY 418 W., Silsbee, TX – Scored a 97 - Ground meat that was cooked the previous day was taken out of fridge and put into hot hold. Explained proper way of reheating leftovers.
- Sonic - 860 HWY 96 S., Silsbee TX – Scored a 99 - Hoses on ground that are for the drink/ice machine are accumulating moldy substance. Needs to be up off the floor or cleaned thoroughly to remove substance.
- Paradigm at the Pines - 705 FM 418 W., Silsbee, TX – Scored a 99 - Toilet room door needs to be self-closing due to being connected to the kitchen.
- Great American Cookie and Marble Slab Creamery - 104 S LHS Dr. Suite F, Lumberton, TX – Scored a 99 - Back area of kitchen supplies were sitting on the ground. Supplies will be stored 6” above the floor.
- Starbucks - 121 South LHS Dr., Lumberton, TX - All specifications met- earned a perfect score of 100
- Courthouse Café - 300 West Monroe St., Kountze, TX – Scored a 99 – Employee didn’t have Food Handlers.
- Sonic - 1300 S. Pine St., Kountze, TX – Scored a 98 - The faucet on the hand sink in back of kitchen works but they have to do a lot to turn it on/off. Fixed Faucet. Corrected onsite.
- Uptown Nutrition - 42494 Hwy 105 B., Batson, TX – All specifications met- earned a perfect score of 100
- Grill Girls - 12895 Batson Prairie Rd., Batson, TX – Scored a 98 - No labels were used.
- Peavey Caney Head Store – 8500 FM 92 North, Silsbee - no food manager on duty, food handler certificates were expired, no sanitizer strips for measuring sanitizer for ware washing, no food measuring thermometer was observed, wet wiping cloths & sponges were laying on counters and in sinks, employee food and drinks were inter mingled with for sale foods in the display cooler, counter mounted can opener was dirty, rusty & not in use, other pieces of equipment not in use & not necessary for the operation of the establishment shall be repaired or removed – earned a score of 89
- Taco Bell – 620 Hwy 96 S., Silsbee – all specifications were met - scored a perfect score of 100
- Firehouse Subs- 301 N. LHS Dr. Suite 100- All specifications were met- perfect score of 100

ReJena Bolton – CP-FS
H. C. Health Inspector Manager
rejena.bolton@co.hardin.tx.us

Sheli Richardson
Foodborne/Waterborne Health/Pool Inspection
Sheli.richardson@co.hardin.tx.us

Janet Hunter
Health Inspections
Janet.Hunter@co.hardin.tx.us