



## June 2024 – Hardin County Health Inspections

---

- Kids Kampus - 7921 Beverly, Lumberton - All specifications met- earned a perfect score of 100
- Paradigm At The Pines - 705 FM 418 West, Silsbee - All specifications met- earned a perfect score of 100
- Dollar General - 1015 Pine St., Kountze - Missing ceiling tiles throughout store. There is a leak from the ceiling in the storage area – earned a score of 98
- Dollar Tree - 360 Hwy 105 East, Sour Lake - All specifications met- earned a perfect score of 100
- Dollar General - 575 Hwy 105 West, Sour Lake – Service sink was not being used properly. Food in storage wasn't up from the floor 6" – earned a score of 97,
- Paradigm At Kountze - 604 FM Rd. 1293, Kountze - Ground meat was being thawed improperly – earned a score of 97
- Spindletop Center - 222 East Durdin, Silsbee - All specifications met- earned a perfect score of 100
- Silsbee Oaks - 920 E. Ave L, Silsbee - All specifications met- earned a perfect score of 100
- Spanish Trail Assisted Living - 775 Hwy 96 South, Silsbee - All specifications met- earned a perfect score of 100
- Mill Creek - 1105 W. HWY 418, Silsbee - All specifications met- earned a perfect score of 100
- Village Creek Rehabilitation - 705 North Main, Lumberton –Reach in fridge temped at 50. Moved food to another fridge and placed a work order – earned a score of 97
- Big Thicket Country Store – 807 S Main, Lumberton – the new owners were operating the store under the previous owners Health Department permit, small reach in cooler did not hold temperature @ 41F or below – hand sink was not accessible and properly supplied with hand soap and hand drying method, dumpster was observed open- must remain closed, service sink water drains onto the floor - earned a score of 92
- Popeye's – 108 South LHS, Lumberton – establishment was closed for a period of time due to an imminent health hazard – sewage backup- water over flow from drain under ware washing sink, shelving, containers & lids holding raw chicken in the walk in cooler had excessive amounts of food debris and chicken juice, water temperature was not in temperature range, 2 large containers holding rice in the walk in cooler did not bare a discard date, flies were in access inside the facility – an insect control device was installed but connected to a nonworking electrical outlet, back door bottom door sweep was worn and allowed for pest entry, pots, pans & utensils in the clean dish area were observed greasy & with food particles, also drying containers and sheet pans within each other not allowing air drying, facility walls, floors, equipment & drains

were observed holding grease, food and debris – equipment shall be moved from the walls & rid grease & foods, equipment observed in nonworking order – 1 fryer, 3 hot holding units, water dispensing machine, chicken tumbler, ware washing faucet & sink levers shall be repaired or removed, missing tiles needing to be replaced were observed & can be a place for pest harborage, restrooms must be cleaned as often as necessary to keep them clean, floor drain baskets were filled with food needing to be emptied & cleaned – earned a score of 82

- Buck n Bean Coffee House – 385 S Pine St., Kountze – sanitizer for ware washing & wiping counters was observed too low, wet wiping cloths were not being held in a measured amount of sanitizer and held in a bucket when not in use - earned a score of 96
- Strauss Food Mart – 1310 N. Pine, Kountze - spray bottles containing chemicals must be name labeled, prep pizza toppings were not date labeled for discard when being held over 24 hours, sanitizer for ware washing and wiping counters was not observed, ice machine was tagged out for cleaning and sanitizing - black substance was observed, the facility was dirty and in need of a deep cleaning and a schedule to continue cleanliness, covered waste receptacle shall be placed in the ladies restroom, sponges are not allowed as they hold bacteria & were discarded – earned a score of 85
- Subway – 325 N. Main, Lumberton – all specifications met – earned a perfect score of 100
- Subway - 760 Hwy 96 S., Silsbee - all specifications met – earned a perfect score of 100
- Altus - Lumberton Hospital, LLC – 134 N. LHS Dr., Lumberton – mechanical ware washing machine was not heating water temperature high enough according to the manufacture label - earned a score of 97
- Lion’s Delight Snow Cones & Treats – 1540 S. Pine St., Kountze – all specifications met – earned a perfect score of 100
- Caroline’s BBQ – 320 Third St, Kountze – sanitizer was not observed as being measured and used for ware washing dishes & utensils or in a container for holding wiping cloths in between uses for wiping surfaces, pipe leaking water under the 3 bay sink - earned a score of 95
- Exxpress Mart #12 – 196 S. LHS, Lumberton – sanitizer for washing pans, utensils and to be held in a measured water & sanitizer container for wiping cloths was not observed as being used, thermometer was missing in the sandwich cold hold unit, a stem thermometer for measuring food temperatures was not on sight, prepackaged sandwiches had no date label - earned a score of 92
- Quenchie’s – 55 W Chance, Lumberton – no sanitizer test kit was observed for measuring the correct sanitizer quantity, no sanitizer was observed as being used for ware washing or held in a container for wiping cloths, sponges were in use and are not allowed, the ice cream scoop holding container water tube which provides a constant flow of running water, to sufficiently clean scoops was not in working order & utensils were not being held in a sanitary manner, the yearly Health Inspection Permit & the most recent health inspection were not posted, both shall be posted in plain sight of

customers, or you may have a sign stating the report is available upon customer request in lieu of the inspection report - earned a score of 92

- Silsbee Seafood – 720 Hwy 96 South, Silsbee - all specifications were met - earned a perfect score of 100
- Southern Maid Donuts – 205 W. Ave N., Silsbee – 2nd Re-inspection - all specifications were met - earned a perfect score of 100
- Fuel Max #73 –15724 FM 421, Kountze – cooling of cooked foods was not being done correctly – corrected on sight, sanitizer for washing dishes, utensils and counters was not being used, no sanitizer measuring strips were present, wiping cloths must be held in a chemical measured sanitizer, dishes were being dried with a cloth – required to be air dried, the person in charge did not hold a food manager certificate, hot water for ware washing did not meet the temperature requirement, food discard dates were not correct with the 7 day discard time, prepackaged sandwiches in the cold hold cooler did not bare a discard date and sandwiches baring a date were past the use by date, waste receptacles were not in place by hand washing sinks to discard disposable hand towels after washing hands, displaying the most recent inspection report or a sign saying the report is available upon customer request was not present - earned a score of 76
- Buds Boil N Go – 910 N Main, Lumberton – all specifications were met, earned a perfect score of 100
- Meme’s Diner 555 N. 5<sup>th</sup> Street, Silsbee – New Opening - all specifications were met, earned a perfect score of 100
- Walmart – 100 N. LHS Drive, Lumberton - all specifications were met, earned a perfect score of 100
- Champion Ranch (Country Club Restaurant)– New Opening - all specifications were met, earned a perfect score of 100

ReJena Bolton – CP-FS

H. C. Health Inspector Manager

[rejena.bolton@co.hardin.tx.us](mailto:rejena.bolton@co.hardin.tx.us)

Sheli Richardson

Foodborne/Waterborne Health/Pool Inspection

[Sheli.richardson@co.hardin.tx.us](mailto:Sheli.richardson@co.hardin.tx.us)

Janet Hunter

Health Inspections

[Janet.Hunter@co.hardin.tx.us](mailto:Janet.Hunter@co.hardin.tx.us)