



## *AUGUST 2024 – Hardin County Health Inspections*

---

- Dollar Tree - 138 Pine Plaza, Silsbee, Tx 77656 - All specifications met, earned a perfect score of 100
- Tobacco Barn #36 – 809 Hwy 96 S., Kountze, Tx 77625 - All specifications met, earned a perfect score of 100
- Queenie’s 1972 Nutrition - 1440 South Pine St., Kountze, Tx 77625 - All specifications met, earned a perfect score of 100
- Tobacco Barn #36 – 809 Hwy 96 S., Kountze, Tx 77625 - All specifications met, earned a perfect score of 100
- Smoke N More #5 – 655 S. Pine St., Kountze, Tx 77625 - All specifications met, earned a perfect score of 100
- Dollar General – 9293 FM 418, Silsbee, Tx 77656 - All specifications met, earned a perfect score of 100
- Tejas Tigerland – 1175 Hwy 418, Silsbee Tx 77656 - All specifications met, earned a perfect score of 100
- Family Dollar #12439 – 1235 Hwy 327, Silsbee, Tx 77656 - All specifications met, earned a perfect score of 100
- Woodcrest Methodist Church Pre School – 1684 Hwy 96 S., Lumberton - all specifications were met – earned a perfect score of 100
- Circle K #2740368 – 509 S. Main, Lumberton - all specifications were met – earned a perfect score of 100
- Dollar General (LHS) – 463 N. LHS Dr., Lumberton - all specifications were met – earned a perfect score of 100
- Murphy USA #7825 – 90 N. LHS Dr., Lumberton - all specifications were met – earned a perfect score of 100
- MNS Nutrition – 837 N Main, Lumberton – no certified food manager on duty during inspection – earned a score of 98
- Dollar General – 13776 Hwy 69 N., Village Mills - all specifications were met – earned a perfect score of 100
- Deir’s Drive-In – 655 Hwy 327 W., Silsbee - all specifications were met – earned a perfect score of 100
- Dollar General #839 – 955 Hwy 327 E., Silsbee – tiles missing in the ceiling, cooler door had cracked glass – earned a score of 98
- Smoke -N- Grocery – 1160 N. 5<sup>th</sup> St., Silsbee – ice machine & soda machine red tagged out for cleaning & sanitizing, no hot water device & no running water was

available throughout the store except in the restroom, hand sink faucet was broken, no paper towels at hand sink, restroom had no lid on trash receptacle, no dish soap or sanitizer was being used for the washing of utensils & equipment, no sanitizer measuring kit for effect sanitizer was available, nonfunctional equipment was present and in need of removal or repair, service sink had no drain line connected for the removal of mop water, no employee had a required food handler certification - earned a score of 79

- Live Oak Liquor – 2610 Hwy 327, Silsbee - no sanitizer being used for utensils bagging ice for sale, no hot water in the establishment for washing hands, no method of properly washing utensils, no lid on the restroom trash receptacle – earned a score of 92
- Phil’s on the Hill – 4444 Hwy 327, Kountze - all specifications met – earned a perfect score of 100
- E-Z Mart (#4264) – 5075 Hwy 92 N., Silsbee – soda machine had accumulation of soil & drain line on soda machine was clogged allowing water to stand, no hand soap in the restroom, thermometer missing in the milk cooler, microwave was rusted & old unable to clean - earned a score of 90
- Walgreens – 902 N. Main, Lumberton - all specifications met – earned a perfect score of 100
- Dollar General (15810) – 1611 FM 3513, Lumberton – restrooms were not supplied with hot water for handwashing, damaged foods were not separated from foods for sale with any evident segregation or markings - earned a score of 97
- Uptown Nutrition – 42494 Hwy 105 B, Batson – thermometers were placed in the open freezer section- shall be placed in the cooler section as well, food handler certificates nor health inspection report was held on site, trash receptacle did not have a lid for restroom used by ladies - earned a score of 96
- Super Pak Deli – 16618 FM 770, Saratoga -
- CVS # 2996 – 100 South LHS Dr., Lumberton – all specifications were met – earned a perfect score of 100
- Dollar Tree – 725 N. Main St., Lumberton – back door has a worn gasket on the bottom allowing for pest entry, floors throughout the facility had grim accumulation and boxes of for sale products with spilled residue under and around them - not allowing for cleaning – earned a score of 97
- 105 Food Mart – 690 Hwy 105, Sour Lake – all specifications were met – earned a perfect score of 100
- FBC Academy – 350 Hwy 96 South, Silsbee - all specifications were met – earned a perfect score of 100
- KFC – 815 Hwy 69 S., Silsbee – all food employees did not have a food handler certification during the inspection – earned a score of 98

- Village creek Coffee Company – 1180 Highway 96 S., Silsbee – wiping cloths were laying on the sink – must be held in a measured sanitizer container, date labeling of milk was not present – earned a score of 97
- Big Thicket Lodging – 990 Pine St., Silsbee – back door has outer openings allowing for pest entry, physical facilities shall be maintained in good repair – the outdoor entry location having a Koi pond - the pump is not in working order and can allow for harboring pests, sufficient outer lighting is not in working order – earned a score of 98
- Yellow Rose Meat Market – 467 N. LHS Dr. Ste. 104, Lumberton – all specifications were met – earned a perfect score of 100
- Family Dollar Store #27906 – 2087 FM 92, Silsbee, TX – Scored a 99 - back storage door where product is delivered has a gap on the bottom of the door for critters and rodents to come into.
- Silsbee Shell – 210 Hwy 96 S., Silsbee - ice scoop was being held on the sink faucet, ice machine had black substance & in need of a cleaning process on a frequent basis as to keep it clean, the heavy ice machine lid was completely disconnected - to be repaired or replace the ice unit, no sanitizer test kit was on site to measure the correct concentration of sanitizer & no sanitizer for wiping counters or dishes was being used, prep area cooler with food toppings for making pizzas were not date labeled for discard, cooking utensils were laying in the hand sink, thermometer was missing from the walk in cooler, paper drinking cups, bags of sugar observed on the floor, shall be held 6 inches off the floor, the vanity cabinet in the restroom was not attached to the wall, the waste can in the restroom shall have a lid, the physical facility of the store was in need of a more frequent cleaning schedule as to keep it clean, the most recent inspection report/notice of most recent inspection report available upon request was not posted in view of customers, all food employees must have a food manager or food handler certification & must be displayed in site for customer viewing - earned a score of 84
- Tejas Exxon #7 – 200 S. Pine, Kountze – soda fountain nozzles & ice bin were observed dirty, employees having soda fountains & other drinks & ice must hold a food handler & to have it displayed in view of customers, prepackaged sandwich did not bare a discard date, no sanitizer test kit was on site to measure the correct concentration of sanitizer & no sanitizer for wiping counters or equipment was being used, utility sink shall be installed for the waste water of mopping floors – shall not use the toilet for the pouring of mop water – earned a score of 89
- Country Corner #2 – 8005 FM 418, Silsbee – person in charge of the rules of operation must be present at time of cooking, employee on duty did not possess a food manager or food handler certificate & it must be on site, prep area cooler pizza toppings did not bare a date label for discard, thermometers were not

observed in the cold hold units or the hot hold unit, foods shall be covered and protected – hamburger patties in freezer were uncovered with ice crystals, in use pizza cutter and knives laying together must be washed at least every 4 hours, ice scoop laying in the ice bin with handle in the ice, raw chicken in a container was not date labeled for discard – earned a score 88

- Hardin County Jail – 300 West Monroe, Kountze - all specifications met - earned a perfect score of 100
- Quick Stop – 1335 Hwy 96 S., Lumberton – no food handler certificate held by employees having soda machines, no utility sink was installed at the establishment - earned a score of 96
- Family Dollar Store #27906 – 2087 FM 92, Silsbee, TX – Scored a 99 - back storage door where product is delivered has a gap on the bottom of the door for critters and rodents to come into.
- Honey Island General - 9028 FM 1293, Kountze - cooler with ranch, mayo and eggs not maintaining temperature of 41 or below, food not dated that was prepared or portioned for more than 24 hours, some thermometers missing in coolers, flooring in the kitchen must be replaced, not wipeable or cleanable, rat droppings under 3-compartment sink-need a plan and a report on this, hood vents need cleaning, ice machine red tagged for cleaning - earned a score of 88

ReJena Bolton – CP-FS  
H. C. Health Inspector Manager  
[rejena.bolton@co.hardin.tx.us](mailto:rejena.bolton@co.hardin.tx.us)

Sheli Richardson  
Foodborne/Waterborne Health/Pool Inspection  
[Sheli.richardson@co.hardin.tx.us](mailto:Sheli.richardson@co.hardin.tx.us)

Janet Hunter  
Health Inspections  
[Janet.Hunter@co.hardin.tx.us](mailto:Janet.Hunter@co.hardin.tx.us)