TRINITY COUNTY ON-SITE SEWAGE PERMIT INSTRUCTIONS

- How many acres do you own? (The 10-acre rule states one house per 10+acres and applies to residential only. If the applicant requests the 10 acre rule, the 10 acre exemption affidavit must be filled out by the landowner with the legal property description as It appears on the deed.)
- Property Owner/Applicant completes and returns application to the County Judge's office.
- Applicant Is required to contact a "Site & Soll Evaluator" for a site and soil evaluation to determine the soil class. A site drawing to scale, must be submitted and include all structures, trees, ponds, lakes, easements, water wells, property lines, etc.
- If a sub-surface (In ground) system Is suitable, your are required to submit a system design drawing of your proposed septic system with this application for approval. You are required to submit a landscaping plan.
- If an aerobic spray system is required, you will need to submit a design drawing by a Registered Sanitarian to the County Judge's Office for approval by the inspector. An Affidavit to the Public containing the legal property description must be filled out by the property owner and filed in the County Clerk's Office. There is a \$26.00 filing fee for the affidavit, and \$4.00 fee for additional pages. Once the affidavit Is filed and the fees are paid, the County Clerk's office will notify the OSSF Coordinator. All Aerobic Systems must be installed by an Installer II. You will submit to the County Judge's office a landscaping plan and a 2 year maintenance policy.
- Upon receipt of all completed paperwork to the County Judge's office and approval of the design by the Inspector, an Authorization to Construct letter will be sent and construction may begin. (Allow 5 days for processing).

CHECKLIST OF PAPERWORK



- Applicant or Installer will notify the Inspector when construction will begin and set an inspection date. A two (2) days notice is required for all inspections.
- The system is not permitted for use until inspected by the Inspector and all TNRCC standards are met.

*To qualify as a site evaluator a person should have a working knowledge of site/soil characteristics and should be familiar with 30 Texas Administrative Code #285.30. We strongly recommend that site evaluations be performed by individuals who have completed the Soil Evaluator Training or be a certified installer.

INCOMPLETE PERMIT PACKETS WILL BE RETURNED TO THE PROPERTY OWNER/APPLICANT

LANDSCAPING PLAN

I. ACCEPTANCE:

- 1. This Landscape plan is offered for acceptance subject to the following terms and conditions unless specifically agreed to otherwise in Section V of this document.
- 2. This Landscape plan is limited to the equipment, labor and service specifically described and none other is intended or implied.

II. INSTALLATION:

- 1. Homeowner agrees to allow contractor access to property with any and all equipment and material necessary to complete the installation of an on-site system.
- 2. Homeowner agrees that the possibility of ground damage may occur from the heavy equipment and material being moved on-site and/or that wet ground conditions may create excessive ground damage during the installation process.
- 3. Homeowner agrees that during the course of the installation extra soil will be left over due to the tank displacement.
- 4. Homeowner agrees that existing ground cover (grass) may be permanently displaced during the course of the on-site installation.
- 5. Homeowner agrees that the possibility of vegetative (tree, shrub) loss may occur as a result of the onsite installation.
- 6. Homeowner agrees that there is a possibility that some ground settling may occur in the disturbed soil area after the contractor has completed the installation and left the premises.

III. CONTRACTOR RESPONSIBILITY:

- 1. Contractor agrees that all work shall be completed in a workman like manor according to standard OSSF practices.
- 2. Contractor agrees to make a reasonable attempt to minimize ground damage during the course of the on-site installation.
- 3. Contractor agrees to backfill with class Ib, II, or III soil around all tanks and sewer pipe placed into the ground to six (6) inches above grade level to allow for settling.
- 4. Contractor agrees to spread excess soil to adjacent area of the installation site unless otherwise directed by the homeowner. All excavated class IV soils will be removed from site.
- 5. Contractor agrees to seed or sod areas of disturbed soil where existing ground cover was present prior to the on-site installation.
- 6. Contractor agrees to seed or sod any and all areas located within the surface application or trench area upon completion of the on-site installation.
- 7. Contractor agrees to rake to six (6) inches above grade any and all areas disturbed by the on-site installation.

IV. HOMEOWNER RESPONSIBILITY:

- 1. Homeowner agrees to re-grade soil in areas where soil settling has occurred after OSSF is permitted.
- 2. Homeowner agrees to maintain areas disturbed by OSSF installation with seed, sod, or other vegetation.

V. ADDITIONS/EXCLUSIONS (State Section and number of exclusion above)

The following terms and conditions that shall be included or excluded from this agreement:

Installer Signature

Date

Date

Homeowner Signature

ON-SITE SEWAGE FACILITY PERMIT APPLICATION TRINITY COUNTY ENVIRONMENTAL HEALTH DEPT 223 W. First St. / Po tox 457, Groveton, TX 75845 Office: (936) 642-1746

This application will expire one year from the application date if inspection is not complete. No refunds once permit is issued.

	20			
		Permit Number		
PROPERTY OWNER	(FIRST)	۵. ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰	(INT)	
PHONE NUMBERS	VIII		a a fair ann an	
MAILING ADDRESS	City	STATE	<u>ZIP</u>	
SITE ADDRESS	City	STATE	ZIP	
Subdivision	Section Block _	Lot	Acres	
WATER SOURCE 🗌 Private 🔲 Public		(Name) Water Saving	JDevices: Yes 🗋 No 🗋	
SINGLE FAMILY RESIDENCE: # of Bedrooms	# Of Bathrooms	Living Area (Sq Ft))	
# of Residences living in the house				
COMMERCIAL/MULTI FAMILY: Type	# of Employees/Units	Days/Wk	. Occupied	
SQUARE FOOT OF COMMERICAL STRUCTURE	and a fear of the fear and the			
Septic System: New System F	Repair to Existing System:			
Will a Licensed Installer Install your system? No	Yes When			
Type of Construction: Brick Frame	Mobile Home Block	Record		
DESIGNER:	Reg#	Phone#		
SITE EVALUATOR		Phone#		
INSTALLER	Reg#	Phone#		
	Rea#	Phone#		

NOTICE:

*If the permit applicant is a corporation, partnership, or other legal entity other than a natural person, state the name of one or more natural persons who will be responsible to Commissioner's Court to see that all provisions of the Permit will be faithfully complied with.

*Notice of Approval will not be issued until a final inspection and appreval of the septic system is given by Trinity County.

*Any person securing a permit does so on the representation to Commissioner's Court that he/she will comply with all requirements and county regulations, and obtainall necessary permits required for this property.

*Authorization is hereby given to Trinity County, Texas, Texas Department of Health, and the TX COM on Environment Quality or their agents er designees, singularity or jointly, to enter upon the described property for the purpose of making soil evaluation test, inspecting septic system, or for any reason consistent with the water quality programs of the Texas Department of Health and the Texas National Resource Conservation Commission.

I certify that the above statements are true and correct to the best of my knowledge.

Signature of Owner (Name on Deed) ____

_ Date_

Trinity County On-Site Sewerage Facility Permitting

.

Soil Evaluation Form

Owner's Name	Date Performed		
Physical Direction to Property			
	an a		
n — fill fill fallet for a start of the	n an		
Name of Site Evaluator	Proposed Excavation Depth		

At least two soil evaluations must be performed on the site, at opposite ends of the proposed disposal area. Please show the results of each soil evaluation on a separate table. Locations of soil evaluations must be shown on the site drawing.

For subsurface disposal, soil evaluations must be performed to a depth of at least 2-ft. below the proposed excavation depth. For surface horizon must be excavated.

Please describe each soil horizon and identify any restrictive features in the space provided below. Draw lines at the appropriate depths.

Soll Boring Number

Depth (ft)	Textural	Drainage Mottles/Wat er	Restrictive	Comments
	Class	Table	Horizon	
0				
L				
2				
3				
4				
5				

Soil Class

Site/Soil Evaluation Form, page 2

Soil Boring Number _____

Depth (ft)	Textural	Drainage Mottles/Wat er	Restrictive	Comments
	Class	Table	Horizon	
0				
1				
2				
3				
4				
5				
Soil Class		Degree of Slope	e of property	
TNRCC Minimum St	tate Standards	s for your septic s	system is:	
Sub-Surface	e System	GPD		_Size/Number of Tanks
18" wide trench requires	s	drainfield	24" requires	drainfield
36" requires	drainfield			
Ae	robic Surface Sys	tem	Statute and the state of the st	GPD
Comments:				

I certify that the above statements are true and are based on my own field observations,

Signature of Soil Evaluator

Phone (Day Number)

AFFIDAVIT TO THE PUBLIC

THE COUNTY OF TRINITY STATE OF TEXAS

AFFIDAVIT

According to Texas Commission on Environmental Quality Rules for On-Site Sewage (OSSFs) Facilities, this document is filed in the Deed Records of Trinity County, Texas.

I

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (commission) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), §5.012 and §5.013, gives the commission primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The commission, under the authority of the TWC and the Texas Health and Safety Code, requires owners to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the commission requires a recorded affidavit. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This recorded affidavit is not a representation or warranty by the commission of the suitability of this OSSF, nor does it constitute any guarantee by the commission that the appropriate OSSF was installed.

An OSSF requiring a maintenance contract, according to 30 Texas Administrative Code §285.91(12) will be installed on the property described as: (insert legal description and physical address)

The property is owned by:

(insert owner's full name)

This OSSF shall be covered by a continuous service policy for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally.

Upon sale or transfer of the above-described property, the permit for the OSSF shall be transferred to the buyer or new owner. A copy of the planning materials for the OSSF may be obtained from San Jaeinto County, Texas.

WITNESS MY HAND(S) ON THIS _____ DAY OF ______, 20 _____ Printed Name Owner(s) signature(s) SWORN TO AND SUBSCRIBED BEFORE ME ON THIS ____ DAY OF ______, 20 ____. Notary Public, State of Texas Notary's Printed Name: ______ My Commission Expires: _____

Trinity County On-Site Sewage Facility Permitting

		•		s (RS), and Maintenance Prov	
	Paul Hendr		Design	ated Represente	itive
	<i>OS</i> 002860	9		281-705-2009	
Davis Amold OS0005647 OS00029868	OŠII, SE, RS 936-632-0585	Jason Havard OSOO32452	\$E 936-897-220 5	Jerny L. Prušti Jr. OS0019035	OSI 936-638-2143
Wendell H. Baker Jr. OS0006050 OS0011780	OSII, SE, RS, MP 936-291-6707	Paul Hendrick OS0022909 OS0028609 MP0001753	OSII, DR, MP, SE 281-705-2009	Ricky Ray OS0000180 MP0001497	OSII, MP 936-219-4752
MP0000059 Mark Balette OS0019048	05॥ 936-544-0882	Wes Hubert OS0011.687	MP, SE 936-597-5558	Larrett Reeves OS0018654 OS0027105 MP0001621	OSII, SE, MP 936-546-8844
Steven Bodenhamer OS0034003	0511 281-705-200 9	Stephen Humphreys OS0019878	OSII 936-661-1360	Timothy Sheppeard, Sr. OS0026054 MP0000282	OS, MP 832-473-7222
Randal K. Brashear OS0000115 MP0000168	OSII, SE, MP 936-637-1488	John Katambani OS00173 2 9	SE 936-293-2598	Kerwin Smith OS0007596	SE 935-637-1700
Russell Crawley OS0030159 MP0001821	•SI, MP, SE 936-328-6235 936-594-3411	Brady Larson OS0032519 MP0001873	OSII,MP 936-355-5636	Keith Socia OS0005563 OS0010201 MP0000303	OSII, \$E, MF 936-699-2614
Timmy Domino OS 0004128 MP0000091	OSII, MP 936-372-5682	Ronnie Leggett OS0003751 MP0000741	OSII, MP 936-967-8685	Michael P. Stephenson OS0028155 MP0001730	OSil, MI 936-632-716
Shaun I. Dubois OSOO33042 MP0002110	OS11, MP, SE 936-433-4002	Mac R. Louther II 050030810 MP 0002055	OSII, MP 936-594-5793	Kevin Strickland OS0033198 MP 00002129	OSII, MI 936-675-081
O\$0033197	OSII, SE, MP	Richard Marshall, Jr. OSOO28533	OS11 936-228-6626	Rory Truss OS0005947	0\$11, SE, M 936-639-396
OS0027726 OS0029479	936-433-6444	Dennis Moore •50000170 OS0010165	OSII, SE, MP 936-967-4606	MP0000691 John Warner	OSII, M
Darwon Evans 050027727 050029482	OSII, SE 936-329-2258	MP0000777	OSH, MP	050021092、 MP0001785	281-799-400
Todd Gardner OS0007231	SE 936-327-4055	OS0029557 MP0001727	936-291-8750 936-594-9222		
Shannen Goins OS0029928	OSII 936-433-1335	David Pickens OS0012427	SE 979-693-8334 888-399-7637	OSSF Coerdinator 936-642-1746 tc)@co.trinity	7.tx.u5
Bob Harbuck OS0006696	SE 936-465-3929	Robert Pixley OS0028195 MP0000093	OSII, MP 936-329-1 455		

Any Certified OS, SE, RS, or MP is qualited to provide service in Trinity County. Any OS, SE, RS, or MP may be added to this list by request and providing current license documentation. Revised 06.06.2019

Location Map

Please Draw or Insert Map to Property Location on this page

Name:

Address:

Permit #: