

COUNTY OF MILAM

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See attached report

2. Amount of money for maintenance of the precinct roads during the next fiscal year:

\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 30%


4. Any new road that should be opened in the precinct: None

5. Any bridge, culvert, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 4 Bridges need to be replaced and some culverts need to be replaced or put in, and some roads need some gravel.

Submitted by the undersigned on this 7th day of October, 2010.

George Jamel
Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 7th day of October.



Denise Wallace
Notary Public

My commission expires: 11-10-10

(File in minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of the fiscal year- Section 251.005, Transportation Code)

VOL. 55 PAGE 139
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
100	0.2	Gravel		yes	Good
101	1.1	Gravel		yes	Spots need gravel.
102	2.5	Gravel		yes	Applied 1455 yds. of gravel
103	1.7	Gravel		yes	Pulled ditches & applied 578 yds. of gravel
104	7.9	Gravel and sealcoat		yes	Applied 266 yds. of gravel
104 Loop	0.6	Gravel			Pulled ditches.
104 A	0.5	Gravel			Road needs to be reworked and trimmed.
104 B	0.3	Gravel		yes	Applied 368 yds. of concrete base.
104 C	0.5	Gravel		yes	Good
105	0.9	Gravel		yes	Pulled ditches & applied 504 yds. of gravel.
106	1.2	Gravel	yes	yes	Good
107	0.5	Gravel		yes	Good
108	1.1	Gravel		yes	Good
108 A	0.7	Gravel		yes	Road needs more gravel.
109	1.9	Gravel		yes	Ditches pulled & applied 764 yds. of gravel.
110	1.3	Gravel		yes	Pulled ditches & applied 933 yds. of gravel.
111	0.7	Gravel			Road was trimmed.
112	4.6	Gravel		yes	Ditches pulled & applied 1134 yds. of gravel
112 A	0.5	Gravel		yes	Ditches pulled.
112 B	0.4	Gravel			Good
113	1.1	Gravel		yes	Good
114	2.1	Gravel		yes	Road needs gravel and ditches cleaned out.
115	2.8	Gravel		yes	Good
115 A	0.2	Gravel			
116	6.1	Gravel	yes	yes	Pulled ditches & applied 437 yds. of gravel.
116 A	0.9	Gravel		yes	Pulled ditches & applied 52 yds. of gravel
117	1.4	Gravel		yes	All of road needs gravel
118	1.4	Gravel			Applied 380 yds. of gravel.
118 A	0.7	Gravel		yes	Good
119	2.8	Gravel	yes	yes	Ditches pulled & applied 312 yds. of gravel.
120	3.5	Gravel	yes	yes	Road needs gravel and bridge replaced
122	0.8	Gravel and sealcoat		yes	Good
123	0.5	Gravel		yes	Good
124	0.8	Gravel			Good
125	0.6	Sealcoat			Road needs to be recoated.

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 2
126	0.4	Gravel			Needs spots graveled.	
131	2.8	Sealcoat and gravel			Pulled ditches & applied 728 yds. of gravel & base.	
132	1.8	Gravel		yes	Pulled ditches & applied 1236 yds. of gravel & base.	
143	2.3	Seal coat		yes	Road needs to be resurfaced.	
143 A	0.4	Gravel			Applied 156 yds. of gravel.	
144	1.1	Seal coat			Applied 248 yds. of gravel.	
144 A	0.2	Gravel		yes	Ditches pulled & applied 132 yds. of gravel.	
145	3.1	Sealcoat and gravel		yes	Road needs gravel.	
145 A	1.1	Gravel		yes	Road needs ditches cleaned and gravel.	
146	3.3	Gravel		yes	Replaced culvert & applied 1354 yds. of gravel.	
147	1.8	Gravel	yes	yes	Applied 24 yds. of gravel.	
150	0.9	Gravel		yes	Good	
201	3.1	Gravel		yes	Applied 616 yds. of gravel.	
202	1.7	Gravel		yes	Replaced culvert & applied 195 yds. of gravel.	
202 A	0.2	Gravel			Applied 48 yds. of raps.	
203 Loop	6.5	Gravel and base		yes	Part of road needs to be sealcoated.	
204	2.1	Gravel and sealcoat		yes	Applied 120 yds. of gravel.	
204 A	0.5	Gravel			Applied 648 yds. of gravel.	
204 B	0.5	Gravel			Pulled ditches & trimmed trees.	
205	1.4	Gravel		yes	Applied 1336 yds. of base & gravel.	
205 A	0.3	Gravel			Applied 60 yds. of base.	
205 B	1.9	Gravel		yes	All of road needs gravel.	
206	3.2	Gravel		yes	Applied 278 yds. of gravel.	
206 A	0.5	Gravel		yes	Applied 48 yds. of gravel.	
207	1.5	Gravel		yes	Applied 274 yds. of gravel.	
208	3.4	Gravel and sealcoat		yes	Applied 210 yds. of gravel.	
208 A	0.7	Gravel		yes	Applied 12 yds. of gravel.	
209	1.6	Gravel		yes	Applied 2496 yds. of gravel.	
209 A	0.5	Gravel		yes	Good	
210	2.7	Gravel		yes	Applied 312 yds. of gravel.	
212	4.1	Gravel		yes	Applied 1314 yds. of gravel.	
213	1.2	Gravel		yes	Pulled ditches & applied 96 yds. of gravel.	
214	1.9	Gravel		yes	Applied 446 yds. of gravel.	
215	3.1	Gravel		yes	Applied 48 yds. of base.	
215 A	0.6	Gravel		yes	Pulled Ditches & applied 156 yds. of gravel.	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 3
216	1.2	Gravel			Applied 312 yds. of gravel.	
216 A	0.8	Gravel		yes	Applied 312 yds. of gravel.	
217	1.4	Gravel		yes	Pulled ditches & applied 288 yds. of gravel.	
217 A	0.2	Gravel			Applied 91 yds. of gravel.	
218	2.5	Gravel	yes	yes	Pulled ditches, trimmed brush & applied 72 yds. gravel	
218 A	0.3	Gravel		yes	Needs some spots graveled.	
219	2.1	Gravel			Applied 84 yds. of gravel.	
220	1.3	Gravel		yes	Applied 174 yds. of gravel.	
221	0.7	Sealcoat and gravel		yes	Applied 24 yds. of gravel.	
222	1.1	Gravel		yes	Replaced 2 culverts & applied 108 yds. of gravel.	
223	0.9	Sealcoat		yes	Road needs resealing	
230	4.1	Gravel	yes	yes	Road needs gravel and bridges replaced	
230 A	0.4	Gravel		yes	Needs gravel	
232	3.4	Gravel		yes	Good	
232 Loop	1.6	Sealcoat and gravel		yes	Good	
232 A	0.6	Gravel		yes	Needs gravel in spots.	
232 B	0.5	Gravel			Most of road needs some gravel.	
233	1.2	Gravel		yes	Needs gravel	
235	4.4	Gravel	yes	yes	Applied 72 yds. of raps.	
235 B	0.3	Gravel			Good	
235 C	0.6	Gravel		yes	Good	
303	1.3	Sealcoat		yes	Ditches need to be cleaned.	
309	0.8	Gravel		yes	Good	
384	0.6	Gravel		yes	Applied 84 yds. of base.	
401	1.2	Gravel		yrs	Road needs gravel.	
402	3.4	Sealcoat and gravel	yes	yes	Replaced culvert, applied 72 yds. of base.	
402 A	0.4	Gravel		yes	Road needs gravel	
403	1.9	Gravel	Washed out	yes	Applied 26 yds. of gravel.	
404	0.3	Gravel		yes	gGood	
404 Loop	3.2	Gravel		yes	Applied 108 yds. of base.	
405	3.4	Gravel	yes	yes	Applied 738 yds. of gravel, bridge needs replaced.	
406	3.8	Gravel		yes	Good	
407	2.9	Gravel		yes	Needs some gravel.	
408	2.8	Gravel		yes	Applied 1482 yds. of gravel.	
409	1.7	Gravel		yes	Applied 324 yds. of gravel.	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 4
410	1.6	Gravel and sealcoat		yes	Applied 546 yds. of base & gravel.	
410 A	0.3	Gravel and sealcoat			Sealcoat needs to be redone.	
411	0.9	Gravel			Applied 120 yds. of gravel & base.	
412	7.8	Gravel		yes	Applied 2742 yds. of gravel.	
412 A	1.2	Gravel		yes	Good	
412 B	0.2	Gravel			Good	
412 C	1.3	Gravel		yes	Most of road needs gravel.	
412 D	0.2	Gravel			Fair	
413	1.9	Gravel		yes	Installed 2 culverts, & applied 960 yds. of gravel.	
414	3.9	Gravel		yes	Applied 48 yds. of base.	
415	1.3	Gravel		yes	Applied 1080 yds. of gravel.	
416	1.3	Gravel		yes	Good	
417	4.6	Gravel	yes	yes	Applied 462 yds. of gravel.	
418	4.7	Gravel		yes	Needs some gravel.	
418 A	0.5	Gravel		yes	Applied 48 yds. of base.	
418 B	0.6	Gravel		yes	Good	
422	3.1	Gravel		yes	Applied 528 yds. of gravel & base.	
422 A	0.3	Gravel		yes	Good	
423	0.9	Gravel		yes	Applied 654 yds. of gravel.	
423 A	0.9	Gravel		yes	Applied 72 yds. of gravel.	
424	1.1	Gravel		yes	Applied 706 yds. of gravel.	
426	1.2	Gravel		yes	Good	
429	2.2	Gravel	yes	yes	Applied 60 yds. of gravel & trimmed brush.	
470	0.6	Gravel		yes	Good	
Capital Lane	0.9	Gravel		yes	Ditches pulled.	
Village Lane	0.2	Gravel			Applied 96 yds. of base.	
College Lane	0.2	Gravel			Applied 144 yds. of base.	
Alamo Road	1.2	Sealcoat		yes	Needs to be resealed.	
Ben Milam Rd.	1.1	Sealcoat		yes	Needs to be resealed.	
Laughlin Road	0.6	Gravel		yes	Good	
Goetz Road	0.9	Sealcoat		yes	Ditches pulled.	
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.	
Cedar Grove	0.5	Sealcoat		yes	Fair	
Brair Lane	0.6	Sealcoat		yes	Trees trimmed, applied 36 yds. of base.	
Woods Lane	0.1	Sealcoat		yes	Fair	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 5
Los Torrenos	0.9	Gravel		yes	Applied 72 yds. of raps.	
Los Ranchitos	1.5	Gravel		yes	Good	
Refinery Road	0.2	Gravel			Good	
River Ridge Dr.		1.2 Sealcoat		yes	Good	
Old Tressle Rd.	0.9	Sealcoat		yes	Good	
Oak Hill Road	0.4	Sealcoat		yes	Good	
Hidden Oak Rd.	0.2	Sealcoat		yes	Good	
Twin Lake Rd.	0.15	Sealcoat		yes	Good	
Ranch House Rd	0.2	Sealcoat		yes	Good	
River View Rd.	0.6	Sealcoat		yes	Good	
TOTAL MILES	229.75					
		32,519 yards of gravel and base hauled.				

COUNTY OF MILAM

PRECINCT NO. 2

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See Attached

2. Amount of money for maintenance of the precinct roads during the next fiscal year:
\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 40%

4. Any new road that should be opened in the precinct: No

5. Any bridge, culvert, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements:


3 wooden bridges need to be replaced

Submitted by the undersigned on this 7 day of October

Kenneth Hollan
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 7th day of October

Denise Wallace
Notary Public
My commission expires: 11-10-10



(File in minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of the fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Precinct 2 Road Report Surface	Bridges	Culverts	September 1, 2009- August 31, 2010 Comments
132	0.5	Gravel	1 Steel		1 Needs gravel, installed 15x30 culvert, applied 1680 yds. of gravel.
133W.	8.6	Gravel			22 Needs gravel.
133E.	1.1	Gravel	2 Steel		1 Needs gravel.
133A	0.3	Gravel			2 Needs gravel.
133B	0.1	Gravel			2 Needs gravel.
133C	0.5	Gravel			2 Needs gravel.
134W.	2.8	Gravel			5 Needs gravel, applied 548 yds. of gravel.
134E.	1.4	Gravel			4 Needs gravel, applied 1060 yds. of gravel.
134A	0.8	Gravel			3 Needs gravel, applied 12 yds. of gravel.
134B	0.3	Gravel			1 Needs gravel.
135	3.3	Gravel			14 Applied 1016 yds. of gravel, installed 3 culverts, & 1 headwall.
135A	0.2	Gravel			1 Needs gravel.
136	3.5	Gravel			10 Needs gravel, applied 1124 yds. of gravel.
136A	0.4	Gravel			2 Needs gravel.
137	2.3	Gravel			8 Needs gravel.
137A	0.3	Gravel			Needs gravel.
138	1.9	Gravel			Needs gravel.
139 Loop	4.6	Gravel	Bridge		Applied 2144 yds. of gravel.
139	2.4	Gravel			8 Needs gravel, applied 192 yds. of gravel.
139A	0.1	Gravel			14 Needs gravel.
140	3.1	Sealcoat			1 Needs gravel.
140A	0.4	Gravel	1 Steel&concrete		8 Sealcoat needs to be redone in area, built 2 headwalls.
142	0.5	Gravel			1 Needs gravel.
142A	0.5	Gravel			5 Needs gravel.
225	0.7	Gravel			2 Needs gravel.
226	1.6	Gravel			1 Needs gravel.
226A	0.3	Gravel			6 Needs gravel, applied 240 yds. of gravel.
227	4.4	Sealcoat			Needs gravel, applied 96 yds. of gravel.
228	1.7	Sealcoat	1 Steel&concrete		24 Needs to be resealed.
228A	0.4	Gravel			4 Needs to be resealed.
228B	0.5	Gravel			Needs gravel, applied 60 yds. of gravel.
228C	1.2	Gravel			Needs gravel.
229	3.3	Sealcoat			2 Needs gravel, applied 448 yds. of gravel.
229A	0.3	Gravel			9 Needs to be resealed.
231	0.8	Sealcoat .4 Gravel .4 Sand			Needs to be resealed.
237A	0.1	Sand			3 Needs to be resealed.
Burlington		Gravel			Needs gravel.
					Applied 344 yds. of gravel.

238 Loop	0.4 Gravel		Needs gravel.
238A	1.1 Gravel		Needs gravel, applied 40 yds.
238B	0.5 Gravel		3 Good
238C	2.3 Gravel		2 Needs gravel, applied 408 yds.
	1.6 Gravel		6 Needs gravel, applied 896 yds. of gravel.
	2.9 Sealcoat	1 Steel& concrete	6 Good
240A	0.5 Gravel		2 Needs gravel, applied 348 yds. of gravel.
241 A	0.6 Gravel		Needs gravel, applied 108 yds. of gravel
241 B	0.2 Gravel		Needs gravel, applied 36 yds. of gravel.
	1.9 Gravel		2 Needs gravel, applied 40 yds. of gravel, built headwall.
242A	0.3 Gravel		1 Needs gravel.
	1.4 Gravel		4 Bneeds gravel, applied 428 yds. of gravel.
244A	0.5 Sand		Needs gravel.
	0.9 Gravel		2 Needs gravel, applied 324 yds. of gravel.
245A	0.2 Gravel	Railroad Tank Car	Needs gravel.
	0.3 Gravel		Needs gravel.
	1.4 Gravel		Needs gravel.
	1.4 Gravel		4 Needs gravel, applied 712 yds. of gravel.
	7.1 Gravel		13 Needs gravel, applied 2068 yds. of gravel.
249A	0.4 Gravel		1 Needs gravel, applied 740 yds. of gravel.
	2.9 Sealcoat/gravel		7 Sealcoated 1.5 ml. Needs gravel, applied 608 yds. of gravel.
250 Loop	5.8 Gravel		8 Needs gravel, applied 52 yds. of gravel.
250A	0.2 Gravel		Needs gravel.
	0.3 Gravel		1 Needs gravel, applied 332 yds. of gravel.
	1.3 Gravel		2 Needs gravel.
	0.6 Gravel		1 Needs gravel.
253	0.6 Gravel		3 Needs gravel.
254N	1.3 Gravel		2 Needs gravel, applied 720 yds. of gravel.
254S	1.5 Gravel		5 Needs gravel.
255Loop	2.5 Gravel		3 Needs gravel, applied 1140 yds. of gravel.
255N	3.3 Gravel		7 Needs gravel.
255E	0.2 Gravel		Peble Grove Cemetary, needs gravel.
255A	0.1 Gravel		Needs gravel.
255B	0.6 Gravel		2 Needs gravel.
256	1.3 Gravel		1 Needs gravel.
257	6.4 Gravel	1 Wood	8 Needs gravel, applied 260 yds. of gravel.
258	9.8 Gravel	1 Steel&concrete	17 Needs gravel, applied, 24 yds. of gravel.
259		6 cement culverts	
259A	0.1 Gravel		Needs gravel, applied 160 yds. of gravel.

260	0.9 Gravel			3 Needs gravel.
262	0.6 Gravel			2 Needs gravel, applied 160 yds. of gravel.
263	1.2 Gravel			5 Needs gravel.
263Locp	0.4 Gravel			1 Needs gravel.
263A	0.4 Gravel			2 Needs gravel, applied 80 yds. of gravel.
263B	0.2 Gravel			Needs gravel.
264A	2.1 Gravel			5 Needs gravel, applied 180 yds. of gravel.
264	4.6 Gravel			13 Needs gravel, applied 1880 yds. of gravel.
265S	0.9 Gravel			3 Needs gravel, applied 256 yds. of gravel.
265N	0.3 Gravel			1 Needs gravel.
265A	0.8 Gravel			3 Needs gravel.
266A	1.1 Gravel			2 Needs gravel.
267	0.2 Gravel			Needs gravel.
268	6.1 Gravel			21 Needs gravel, applied 636 yds. of gravel.
268	1.3 Gravel			3 Needs gravel.
269	1.3 Gravel			2 Needs gravel.
270	5.7 Gravel		1 Steel	8 Needs gravel, applied 532 yds. of gravel.
270A	0.3 Gravel			Needs gravel.
271	0.6 Gravel			Needs gravel.
271A	0.6 Gravel			3 Needs gravel, applied 36 yds. of gravel.
272	1.6 Gravel			2 Needs gravel.
273	4.1 Gravel			6 Needs gravel, applied 880 yds. of gravel.
274	0.9 Gravel			1 Needs gravel, applied 2128 yds. of gravel.
274A	1.1 Gravel			3 Needs gravel.
275	3.8 Gravel			11 Needs gravel, applied 1220 yds. of gravel.
276	3.8 Gravel		20'x40' Steel/concrete	7 Needs gravel, applied 40 yds. of gravel.
276A	1.1 Gravel			2 Needs gravel.
277	0.7 Gravel		1 Steel&concrete	3 Needs gravel.
278	6.7 Gravel		Concrete	12 Needs gravel, applied 360 yds. of gravel.
278A	2.1 Gravel		1 Steel	Needs gravel.
279	2.6 Gravel		1 Steel	5 Needs gravel, applied 144 yds. of gravel.
Back Woods	1.1 Gravel			Applied 1332 yds. of gravel.
Rockdale				
300	1.3 Gravel			Needs gravel.
301	1.1 Gravel			Needs gravel.
303A	1.1 Paved			1 Needs ressealed.
303B	0.3 Gravel			Needs gravel.
333	0.9 Gravel			1 Belton Street, Sealcoated 8-06
335	3.3 Sealcoat 1.4 Gravel 1.9			3 Needs gravel, & ressealed.

Northwood Dr.	0.1 Sealcoat			Needs resealing.
Northwood Cr.	0.6 Sealcoat			Needs resealing.
TOTAL MILES	188.5			
30,164 cu. Yds. of gravel hauled.				

COUNTY OF Milam
PRECINCT NO. 3

§
§
§

ANNUAL ROAD REPORT


1. Condition of each road, culvert and bridge in the precinct:
1,250,000 Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
1,250,000
3. _____
4. Number of traffic control devices in the precinct defaced or torn down: 85
5. Any new road that should be opened in the precinct: NONE
6. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: See Attached

Submitted by the undersigned on this 12th day of October

Dale Jacob
Commissioner, Precinct 3

Subscribed and sworn to, before me, the undersigned authority, this 12th day of October, 2010.

Denise Wallace
Notary Public



11-10-10
My commission expires: _____

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

2064

Road Number	Length	Surface	Bridges	Culverts	Comments
234	7.1	1.5 Paved			Paved in 2006 - Concrete
234 Loop	1.3	Gravel	2	8	Needs gravel in spots
236	3.9	Gravel	0	6	All good culverts / RR-truck Rav
236 B	0.7	Gravel	0	0	Good shape
237	4.9	Gravel	1	5	Needs gravel in spots/Culverts
239	3.7	Gravel	0	7	Good - All Metal/Concrete Bridge
264	3.0	Gravel	1	2	Each 36' culvert Needs replacement Eastward
318	1.1	Gravel	0	4	New all Metal Concrete Bridge over
319	2.1	Gravel	0	2	L.H.G. R. Needs gravel about 1/2 mile
320	4.2	2.1 Gravel	1	6	All New culverts / Paved 2009
321	0.8	Gravel	0	0	Culverts good Gravel good
322	0.5	PAVED 3	0	20	New All Metal concrete 40 ft Bridge
323	4.1	Gravel	0	3	2 RR Tank Cars / 14 culverts Good shape
324	1.2	Gravel	0	3	Low water crossing / Needs gravel
325	3.1	Gravel	0	7	Needs gravel in spots
326	0.5	Gravel	0	2	Paved in 2001
327A	0.1	Gravel	0	10	All culverts good
328	0.1	Gravel	0	9	All culverts good shape / Paved 2009
329	2.4	Paved	0	11	All Need more capacity
330	3	Gravel	0	4	All culverts good shape
331	1.3	Gravel	0	3	Good culverts & Gravel
331A	2.0	Gravel	0	3	Good culverts / Needs gravel spots
331B	1.0	Gravel	0	3	Good culverts
331C	0.7	Gravel	0	0	Needs gravel in spots

Good culverts / Need gravel in spots
 Culverts Pain/cond / Good/Need gravel spots

3084

Road Number	Length	Surface	Bridges	Culverts	Comments
333	1.9	50% Paved	0	3	Gravel good / Culverts good
334	4.2	50% Gravel 40% Paved 10% Gravel	0	9	Paved 79 to 322 / Culverts All good.
335	1.2	PAVED	0	1	Culvert fair
336	2.3	Gravel 40% Paved 60%	0	4	Culverts All Good
336A	2.0	Gravel	0	0	10 ft RR Tank Man / 3 good culverts
337	2.0	Gravel	0	4	All Good. About 1/2 needs gravel
339	4.2	Gravel	0	4	All Good culverts. No parallel spots
340	2.6	Gravel	0	4	Gravel good. Culverts fair.
340A	1.1	Gravel	0	3	Good culvert / Needs gravel most
341	2.0	Gravel	0	1	16 good 4 fair / needs gravel
342	15.1	Gravel	0	18	All good culverts. New All Math. 0 covered
343	5.1	Gravel	1	8	Bridge 2001 / 10 Tank Man / 15 2001
344C	3.4	Gravel	0	8	Culverts good / spot gravel good
346	2.6	Gravel	0	3	Culverts good / spot where gravel
347L	2.6	Gravel Paved	0	6	All New Culverts / Paved 2008
349L	2.7	Gravel	0	4	Culverts Fair / need gravel in spots
349	0.4	Gravel	0	1	good culvert / Need some gravel
350	1.7	Gravel	0	2	good culverts
351	2.0	Gravel	0	1	good culverts
352	1.0	Gravel	0	1	good culverts
353	12.3	Gravel	2	16	Good culverts / 2 culverts for bridges
355A	6.3	Gravel	0	0	Culverts good in most places
355L	2.8	Gravel	0	4	good culverts / Good gravel
356	1.7	Gravel	0	2	good culverts / good gravel
357	1.2	Gravel	0	2	Needs more ROW
357A	0.4	Paved	0	0	old US 79

4084

Road Number	Length	Surface	Bridges	Culverts	Comments
358	8.1	1.0 Paved	0	7	Culverts good / 2 culverts Bridges
359	2.3	71 Gravel	0	3	Culverts good
360	0.9	Gravel	0	3	Culverts good
364	7.3	Gravel	0	0	Culverts good Need gravel Some pipes
372	1.0	Gravel	0	2	Culverts good
373	1.0	Gravel	0	0	good condition
374	1.2	Gravel	0	3	2 culverts Fair / New / Needs some gravel
375	0.9	Gravel	0	1	good culvert
380	1.2	Gravel	0	4	Culverts good / gravel good
381	0.8	Gravel	0	1	Culvert good / gravel Fair
383	0.6	Gravel	0	1	Fair Culvert - good gravel
Campan Swamp	0.7	Gravel	0	1	Culvert good / gravel good
Silver Springs	1.3	Gravel	0	3	Culverts good / Need gravel in areas
Westview	2.1	Paved	0	0	New Subdivision / good shape

COUNTY OF MILAM
PRECINCT NO. 4

§
§
§

ANNUAL ROAD REPORT

1. Condition of each road, culvert and bridge in the precinct:
LIST OF ROADS & COMMENTS ATTACHED
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$900,000
3. _____
4. Number of traffic control devices in the precinct defaced or torn down: 36
5. Any new road that should be opened in the precinct: NONE
6. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: REPLACE BRUSHY CREEK RELIEF BRIDGES ON C.R. 440 & SAN GABRIEL RIVER BRIDGE ON C.R. 428 (\$400,000)

Submitted by the undersigned on this 12th day of OCTOBER 2010.

STATE OF TEXAS
COUNTY OF MILAM

Birke Bauwachter
Commissioner, Precinct 4

Subscribed and sworn to, before me, the undersigned authority, this 12th day of October, 2010.



Evelyn Summerlin
Notary Public

Evelyn Summerlin
My commission expires: 12-2-2011

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
302	3.1 miles	Seal-coat	0	6	Deteriorating - bad sections <i>REPAIRED 144" CULVERT 08/</i>
302-A	0.2	Seal-coat	0	1	
304	4.85	Gravel	0	13	Developing area - high traffic count
304-A	0.6	Gravel	0	1	
305	1.8	Seal-coat	0	3	High traffic count - just north of Rockdale
306	3.2	Seal-coat	0	7	High traffic count - just west of Rockdale
307	1.1	Seal-coat & gravel	0	2	Developing area
308	0.5	Seal-coat	0	2	Subdivision
308-A	0.7	Seal-coat	0	2	Subdivision
310	0.5	Gravel	0	1	
311	0.3	Seal-coat	0	2	Subdivision
312	1.7	Gravel	0	4	
313	6.5	Seal-coat & gravel	0	7	<i>APPLIED ENHANCED TAC II TO 2 MILES WEST OF Hwy. 77</i>
313-A	3.6	Gravel	0	4	
313-B	1.0	Slag	0	1	
313-C	0.3	Slag	0	2	
314	9.8	Gravel & seal-coat	0	23	
314-A	0.2	Gravel	0	2	
314-B	0.1	Gravel	0	2	
315	2.0	Gravel	0	3	
316	2.4	Recycled asphalt	0	2	
316-A	1.5	Gravel	0	2	
317	0.8	Gravel	0	2	
418	2.8	Gravel	0	4	
418-C	0.8	Gravel	0	2	
419	1.4	Gravel	0	4	
420	1.6	Gravel	0	4	
421	3.7	Gravel	0	6	
421-A	0.2	Seal-coat	0	1	In San Gabriel
422	1.1	Gravel	0	2	
428	2.8	Seal-coat	1	4	Replace bridge & resurfacing

VOL. 55 PAGE 156
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
429	3.0	Gravel	1	2	Bridge replaced in 2004
430	3.8	Gravel	0	6	
431	0.85	Gravel	0	4	
432	4.3	Gravel	0	6	
434	6.5	Seal-coat	0	12	
436	0.4 0.6	Gravel	0	3	
437	2.0	Seal-coat	0	7	
438	1.9	Gravel	0	2	
439	2.4	Gravel	0	5	
440	5.4	Seal-coat & Gravel	3	8	Brushy Creek bridge replaced in 2001- Relief bridges need replacing
442	2.0	Gravel	0	7	REPLACED 12 FT. CULVERTS 6-07
443	8.5	Seal-coat & Gravel	2	11	Brushy Creek bridge replaced in 2002, Turkey Creek bridge replaced in 2000.
446	8.1	Seal-coat	0	17	
448	8.5	Seal-coat & Gravel	0	11	
448-A	0.5	Gravel	0	1	
449	4.0	Seal-coat & Gravel	0	5	1.0 miles seal-coated
449-A	0.6	Gravel	0	2	
450	4.0	Seal-coated	0	8	
451	0.5	Gravel	0	1	
452	0.7	Gravel	0	1	
454	4.7	Seal-coat & Gravel	0	8	
455	10.6	Seal-coat	0	15	REPLACED 48" CULVERTS 06/09
456	2.1	Gravel	0	3	
457	4.3	Seal-coat & Gravel	0	6	
458	2.2	Seal-coat	0	6	
458-A	3.1	Seal-coat	0	6	Seal-coated in 8-06

447 3,3
 446-A 0.4

VOL. 55 PAGE 157
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

Road Number	Length miles	Surface	Bridges	Culverts	Comments
459	1.7	Gravel	0	4	
460	1.9	Gravel	0	3	
461	0.4	Seal-coat	0	2	
470	0.35	Gravel	0	1	
Griffith Lane	0.5	Gravel	0	2	
Bush Road	0.9	Seal-coat	0	3	
Perry Lane	1.1	Gravel	0	2	
Cumley Lane	1.2	Gravel	0	3	
Jost Lane	0.6	Seal-coat	0	2	
Champions Drive	0.55	Seal-coat	0	1	
Prassel Addition	2.45	Seal-coat	0	22	
Russel Addition	0.4	Seal-coat	0	2	
Cypress Trail	2.2	Seal-coat	0	5	
Western Hills	1.5	Seal-coat	0	5	
Oak Park Addition	1.45	Seal-coat	0	5	
Rockdale West	0.7	Seal-coat	0	4	
Boyd Addition	0.2	Seal-coat	0	2	
Elm Creek Estates	0.85	Seal-coat	0	2	
Gabriel's Crossing Addition	0.5	Seal-coat	0	5	Total Miles - 177.25
ALL DRY ST.	0.5				
BEVERLY DR.	0.5				
SANDVAL RD.	0.5				