

COUNTY OF MILAM

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See attached report

2. Amount of money for maintenance of the precinct roads during the next fiscal year:

\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 25%

4. Any new road that should be opened in the precinct: None


5. Any bridge, culvert, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 4 wooden bridges need to be replaced, several sealcoated roads need to be resealed, and some roads need gravel.

Submitted by the undersigned on this 21st day of September 2012.

George Tomack
Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 21st day of September.

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-14

(File in minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of the fiscal year- Section 251.005, Transportation Code)

VOL. 63 PAGE 117
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

MONTHLY TREASURER'S REPORT FOR SEPT. 2012						
ACCT #	ACCOUNT	BEG BALANCE	RECEIPTS	DISBURSEMENTS	ENDING BALANCE	
12	GENERAL FUND	\$ 2,373,875.27	\$ 278,603.36	\$ 746,914.81	\$ 1,905,563.82	
20	GENERAL R&B	\$ 10,491.32	\$ 11.29	\$ -	\$ 10,502.61	
21	R & B PCT 1	\$ 349,450.18	\$ 10,453.45	\$ 153,438.51	\$ 206,465.12	
22	R & B PCT 2	\$ 328,969.42	\$ 10,294.08	\$ 112,509.00	\$ 226,754.50	
23	R & B PCT 3	\$ 344,684.46	\$ 10,300.56	\$ 109,440.87	\$ 245,544.15	
24	R & B PCT 4	\$ 203,544.24	\$ 10,189.18	\$ 63,768.86	\$ 149,964.56	
30	REC MANAGMT	\$ 106,228.53	\$ 3,288.60	\$ -	\$ 109,517.13	
31	LAW LIBRARY	\$ 28,975.25	\$ 977.31	\$ 373.00	\$ 29,579.56	
32	CT HSE SECURITY	\$ 58,886.10	\$ 1,992.06	\$ 14,932.95	\$ 45,945.21	
33	CK COLLECTION	\$ 68,941.79	\$ 284.18	\$ -	\$ 69,225.97	
34	RECORDS M & P	\$ 64,670.95	\$ 1,411.66	\$ 8,266.55	\$ 57,816.06	
36	PHP GRANT	\$ 43,602.65	\$ 41.90	\$ 16,467.26	\$ 27,177.29	
37	WIC	\$ 72,230.11	\$ -	\$ 28,991.69	\$ 43,238.42	
38	C S R/SUPPORT	\$ 5,065.45	\$ 425.54	\$ 187.36	\$ 5,303.63	
39	HEALTH DEPT 2	\$ 40,765.55	\$ 4,096.88	\$ 24,024.77	\$ 20,837.66	
40	TAX NOTES/SERIES12	\$ 117,805.59	\$ 203.11	\$ 47,623.00	\$ 70,385.70	
41	R O W & BRIDGES	\$ 81.12	\$ 0.22	\$ -	\$ 81.34	
42	20TH DIST PROB	\$ 30,799.44	\$ 63,273.16	\$ 26,617.88	\$ 67,454.72	
43	INDIGENT TASK FORCE	\$ 3,415.60	\$ -	\$ 2,566.30	\$ 849.30	
44	PRE-FORFEITURE	\$ 35,349.61	\$ 8,690.00	\$ -	\$ 44,039.61	
45	CO ATTY FORFEITURE	\$ 48,460.86	\$ 50.15	\$ -	\$ 48,511.01	
46	HISTORICAL COMM	\$ 18,579.02	\$ 10,064.09	\$ 50.00	\$ 28,593.11	
47	UNCLAIMED FUNDS	\$ 2,988.94	\$ 3.22	\$ -	\$ 2,992.16	
48	MCHC PRESERV	\$ 6,085.48	\$ 9.73	\$ -	\$ 6,095.21	
49	BEA'S KITCHEN	\$ 82,495.98	\$ 3,558.58	\$ 1,538.38	\$ 84,516.18	
53	D. A. SUPP	\$ 7,420.77	\$ 9,647.00	\$ 2,053.30	\$ 15,014.47	
56	IMMATE PHONE USE	\$ 1,900.71	\$ 1,860.98	\$ 1,945.51	\$ 1,816.18	
58	DIST CLK REC M&P	\$ 15,563.94	\$ 431.28	\$ -	\$ 15,995.22	
62	C.O. 04 DEB SERV	\$ 383,267.86	\$ 3,464.96	\$ -	\$ 386,732.82	
63	HEALTH FACIL	\$ 11,425.39	\$ 12.29	\$ -	\$ 11,437.68	
66	HISTORICAL MUSEUM	\$ 16,658.59	\$ 68.01	\$ 348.50	\$ 16,378.10	
68	TRANSACTION FEES	\$ 61,284.82	\$ 5,979.32	\$ 3,913.32	\$ 63,350.82	
70	SDU-'01	\$ 3,044.49	\$ 3.28	\$ -	\$ 3,047.77	
92	JUSTICE CT TECH FUND	\$ 60,764.36	\$ 1,454.12	\$ -	\$ 62,218.48	
93	CO/DIST TECH FUND	\$ 957.30	\$ 54.04	\$ -	\$ 1,011.34	
94	APPELLATE JUDICIAL	\$ 585.00	\$ 220.00	\$ 585.00	\$ 220.00	
95	STATE FEES	\$ 115,977.14	\$ 40,724.90	\$ -	\$ 156,702.04	
96	GRANT FUND	\$ 100.00	\$ 95,627.34	\$ 95,627.34	\$ 100.00	
	GENERAL RESERVE	\$ 314,960.42	\$ 338.9	\$ -	\$ 315,299.32	
	R&B 1 RESERVE	\$ 1,166,178.48	\$ 1,254.82	\$ -	\$ 1,167,433.30	
	R&B 2 RESERVE	\$ 449,132.45	\$ 483.27	\$ -	\$ 449,615.72	
	R&B 3 RESERVE	\$ 103,958.69	\$ 111.86	\$ -	\$ 104,070.55	
	R&B 4 RESERVE	\$ 477,372.48	\$ 513.66	\$ -	\$ 477,886.14	
	TOTALS	\$ 7,636,995.80	\$ 580,472.34	\$ 1,462,184.16	\$ 6,755,283.98	

Road Number	Length	Surface	Bridges	Culverts	Comments
100	0.2	Gravel		yes	Good
101	1.1	Gravel		yes	Spots need gravel.
102	2.5	Gravel		yes	Good
103	1.7	Gravel		yes	Good
104	7.9	Gravel and sealcoat	yes	yes	Worked ditches and hauled 540 yards of gravel.
104 Loop	0.6	Gravel		yes	Worked ditches.
104 A	0.5	Gravel			Road was brush cut.
104 B	0.3	Gravel		yes	Good
104 C	0.5	Gravel		yes	Good
105	0.9	Gravel		yes	Needs some spots graveled.
106	1.2	Gravel	yes	yes	Hauled 264 yards of gravel on road.
107	0.5	Gravel		yes	Good
108	1.1	Gravel		yes	Worked ditches.
108 A	0.7	Gravel		yes	Hauled 36 yards of base on road.
109	1.9	Gravel		yes	Cleared fence row and worked ditches.
110	1.3	Gravel		yes	Worked ditches and hauled 108 yards of base on road.
111	0.7	Gravel		yes	Worked ditches.
112	4.6	Gravel		yes	Cleared fence row and worked ditches.
112 A	0.5	Gravel		yes	Good
112 B	0.4	Gravel			Good
113	1.1	Gravel		yes	Hauled 180 yards of gravel on road.
114	2.1	Gravel		yes	Cleared ditches and shaped ditches.
115	2.8	Gravel		yes	Hauled 204 yards of gravel on road.
115 A	0.2	Gravel			Lake road
116	6.1	Gravel	yes	yes	Replaced culvert, worked ditches and applied 840 yds. mat.
116 A	0.9	Gravel		yes	Worked ditches and applied 1032 yards of material.
117	1.4	Gravel		yes	All of road needs gravel
118	1.4	Gravel			Applied 78 yards of gravel.
118 A	0.7	Gravel		yes	Applied 12 yards of base.
119	2.8	Gravel	yes	yes	Applied 36 yards of gravel.
120	3.5	Gravel	yes	yes	Applied 108 yards of base on road.
122	0.8	Gravel and sealcoat		yes	Good
123	0.5	Gravel		yes	Good
124	0.8	Gravel			Good
125	0.6	Sealcoat			Road needs to be recoated.
126	0.4	Gravel			Needs spots graveled.

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 2
131	2.8	Sealcoat and gravel			Applied 18 yards of base.	
132	1.8	Gravel		yes	Good	
143	2.3	Seal coat		yes	Road needs to be resurfaced.	
143 A	0.4	Gravel			Applied 84 yds. of gravel.	
144	1.1	Seal coat		yes	Patched road.	
144 A	0.2	Gravel		yes	Good	
145	3.1	Sealcoat and gravel		yes	Applied 396 yards of raps on road.	
145 A	1.1	Gravel		yes	Cleaned ditches.	
146	3.3	Gravel		yes	Applied 144 yards of raps and 834 yards of gravel on road.	
147	1.8	Gravel	yes	yes	Replaced culvert, worked ditches, & applied 336 yards of gravel	
150	0.9	Gravel			Good	
201	3.1	Gravel		yes	Applied road glue and chip sealed.	
202	1.7	Gravel		yes	Installed culvert and applied 1746 yards of gravel on road.	
202 A	0.2	Gravel			Applied road glue.	
203 Loop	6.5	Gravel and base		yes	Applied 108 yards of gravel.	
204	2.1	Gravel and sealcoat		yes	Hauled oversize rock on end of culvert.	
204 A	0.5	Gravel			Good	
204 B	0.5	Gravel			Cleaned ditches.	
205	1.4	Gravel		yes	Good	
205 A	0.3	Gravel		yes	Good	
205 B	1.9	Gravel		yes	Good	
206	3.2	Gravel		yes	Cut brush and applied road glue and chip sealed.	
206 A	0.5	Gravel		yes	Good	
207	1.5	Gravel		yes	Applied 862 yds. of gravel.	
208	3.4	Gravel and sealcoat		yes	Cut brush.	
208 A	0.7	Gravel			Good	
209	1.6	Gravel		yes	Hauled 12 yards of rock and applied 36 yards of gravel on road.	
209 A	0.5	Gravel		yes	Good	
210	2.7	Gravel		yes	Hauled 738 yards of gravel on road.	
212	4.1	Gravel		yes	Hauled 84 yards of rock in wash and 1044 yards of gravel on road.	
213	1.2	Gravel		yes	Worked ditches and applied 180 yards of gravel on road.	
214	1.9	Gravel		yes	Applied 48 yds. of gravel.	
215	3.1	Gravel		yes	Applied road glue on road.	
215 A	0.6	Gravel			Good	
216	1.2	Gravel			Good	
216 A	0.8	Gravel		yes	Good	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 3
217	1.4	Gravel		yes	Good	
217 A	0.2	Gravel			Good	
218	2.5	Gravel	yes	yes	Trimmed brush, applied 354 yards of raps, and oiled road.	
218 A	0.3	Gravel		yes	Needs some spots graveled.	
219	2.1	Gravel			Worked and shaped ditches, and installed a culvert.	
220	1.3	Gravel		yes	Good	
221	0.7	Sealcoat and gravel		yes	Applied 60 yds. of base.	
222	1.1	Gravel		yes	Trimmed brush.	
223	0.9	Sealcoat		yes	Trimmed brush.	
230	4.1	Gravel	yes	yes	Road needs gravel and bridges replaced	
230 A	0.4	Gravel			Needs gravel	
232	3.4	Gravel		yes	Good	
232 Loop	1.6	Sealcoat and gravel		yes	Applied 522 yds. of gravel.	
232 A	0.6	Gravel			Needs gravel in spots.	
232 B	0.5	Gravel			Most of road needs some gravel.	
233	1.2	Gravel		yes	Applied 864 yds. of gravel.	
235	4.4	Gravel	yes	yes	Applied 216 yds. of base.	
235 B	0.3	Gravel			Good	
235 C	0.6	Gravel		yes	Good	
303	1.3	Sealcoat		yes	Ditches need to be cleaned.	
309	0.8	Gravel		yes	Good	
384	0.6	Gravel			Good	
401	1.2	Gravel		yes	Road needs gravel.	
402	3.4	Sealcoat and gravel	yes	yes	Repaired bridge apron & applied 618 yds. of base.	
402 A	0.4	Gravel		yes	Road needs gravel	
403	1.9	Gravel			Needs to be trimmed.	
404	0.3	Gravel	Washed out	yes	Applied 198 yds. of gravel.	
404 Loop	3.2	Gravel		yes	Applied 252 yds. of gravel & applied road glue.	
405	3.4	Gravel	yes	yes	Applied 96 yds. of rock. Needs bridge replaced.	
406	3.8	Gravel		yes	Trimmed brush & applied 504 yds. of gravel.	
407	2.9	Gravel		yes	Applied 720 yds. of gravel, 2016 yds. base.	
408	2.8	Gravel		yes	Applied 396 yards of gravel, and applied some road glue.	
409	1.7	Gravel		yes	Applied 954 yards of gravel.	
410	1.6	Gravel and sealcoat		yes	Cut brush.	
410 A	0.3	Gravel and sealcoat			Trimmed trees.	
411	0.9	Gravel			Good	

Road Number	Length	Surface	Bridges	Culverts	Comments
412	7.8	Gravel		yes	Applied 12 yards of raps, and cleared fence row.
412 A	1.2	Gravel		yes	Good
412 B	0.2	Gravel			Good
412 C	1.3	Gravel		yes	Cleared fence row and worked ditches.
412 D	0.2	Gravel			Fair
413	1.9	Gravel		yes	Oiled road.
414	3.9	Gravel		yes	Applied 24 yards of base.
415	1.3	Gravel		yes	Cleaned ditches & installed 2 culverts.
416	1.3	Gravel		yes	Good
417	4.6	Gravel	yes	yes	Good
418	4.7	Gravel		yes	Worked ditches, applied 108 yards of gravel, 306 yard base, & 56 yds. rap
418 A	0.5	Gravel		yes	Good
418 B	0.6	Gravel		yes	Good
422	3.1	Gravel		yes	Shaped ditches and applied 208 yards of gravel.
422 A	0.3	Gravel			Good
423	0.9	Gravel	yes	yes	Trimmed brush and cleaned ditches.
423 A	0.9	Gravel		yes	Good
424	1.1	Gravel		yes	Cleared fence row, worked ditches, applied 98 yds. of gravel, & 36 yds. rap
426	1.2	Gravel		yes	Good
429	2.2	Gravel	yes	yes	Good
470	0.6	Gravel		yes	Good
Capital Lane	0.9	Gravel		yes	Replaced culvert, cleaned and shaped ditches.
Village Lane	0.2	Gravel			Good
College Lane	0.2	Gravel			Good
Alamo Road	1.2	Sealcoat		yes	Needs to be resealed.
Ben Milam Rd.	1.1	Sealcoat		yes	Needs to be resealed.
Laughlin Road	0.6	Gravel		yes	Good
Goetz Road	0.9	Sealcoat		yes	Applied 156 yards of raps and removed a tree.
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.
Cedar Grove	0.5	Sealcoat		yes	Fair
Brair Lane	0.6	Sealcoat		yes	Good
Woods Lane	0.1	Sealcoat		yes	Fair
Los Torrenos	0.9	Gravel		yes	Good
Los Ranchitos	1.5	Gravel		yes	Good
Refinery Road	0.2	Gravel			Good
River Ridge Dr.	1.2	Sealcoat		yes	Good

Road Number	length	Surface	Bridges	Culverts	Comments
Old Tressle Rd.	0.9	Sealcoat		yes	Good
Oak Hill Road	0.4	Sealcoat		yes	Good
Hidden Oak Rd.	0.2	Sealcoat		yes	Good
Twin Lake Rd.	0.15	Sealcoat		yes	Good
Ranch House Rd	0.2	Sealcoat		yes	Good
River View Rd.	0.6	Sealcoat		yes	Good
TOTAL MILES	229.75				
					23.15 miles went to precinct 2 on January 1, 2012
					11.5 miles went to precinct 4 on January 1, 2012
					195.10 miles remain in precinct 1 January 1 2012
					Materials used during this time period
					12,312 yards of gravel
					4,080 yards of base
					1,178 yards of raps
					214 tons patch mix

COUNTY OF MILAM

PRECINCT NO. 2

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See attached report

See Attached

2. Amount of money for maintenance of the precinct roads during the next fiscal year:

\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 40%

4. Any new road that should be opened in the precinct: None


5. Any bridge, culvert, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 3 wooden bridges need to be replaced.

Submitted by the undersigned on this 1st day of October ~~September~~ 2012.

Berneth Hollas
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 1st day of October

Denise Wallace
Notary Public



Denise Wallace

My commission expires: 11-10-14

(File in minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of the fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 1
132	0.5	Gravel	1 Steel	1	Needs gravel	
133W.	8.6	Gravel		22	Applied 324 yards of gravel	
133E	1.1	Gravel	2 Steel	1	Needs gravel in spots.	
133A	0.3	Gravel		2	Needs gravel in spots.	
133B	0.1	Gravel		2	Needs gravel in spots.	
133C	0.5	Gravel		2	Needs gravel in spots.	
134W.	2.8	Gravel		5	Needs gravel in spots.	
134E	1.4	Gravel		4	Needs gravel	
134A	0.8	Gravel		3	Needs gravel	
134B	0.3	Gravel		1	Needs gravel.	
135	3.3	Gravel		14	Needs gravel in spots.	
135A	0.2	Gravel		1	Needs gravel in spots.	
136	3.5	Gravel		10	Applied 102 yards of gravel.	
136A	0.4	Gravel		2	Needs gravel.	
137	2.3	Gravel		8	Needs gravel.	
137A	0.3	Gravel		8	Needs gravel.	
138	1.9	Gravel	Bridge		Needs gravel.	
139 Loop	4.6	Gravel		8	Applied 36 yards of gravel.	
139	2.4	Gravel		14	Applied 1890 yards of gravel.	
139A	0.1	Gravel		1	Needs gravel.	
140	3.1	Sealcoat	1 Steel&concrete	8	Needs gravel in spots.	
140A	0.4	Gravel		1	Needs gravel in spots.	
142	0.5	Gravel		5	Needs gravel.	
142A	0.5	Gravel		2	Needs gravel.	
225	0.7	Gravel		1	Needs gravel.	
226	1.6	Gravel		6	Applied 1026 yards of gravel.	
226A	0.3	Gravel		6	Needs gravel in spots.	
227	4.4	Sealcoat	1 Steel&concrete	24	Needs resealing	
228	1.7	Sealcoat		4	Needs to be ressealed.	
228A	0.4	Gravel			Needs gravel	
228B	0.5	Gravel			Needs gravel.	
228C	1.2	Gravel		2	Needs gravel	
229	3.3	Sealcoat	2.0 Gravel	9	Applied 1242 yards of gravel & installed 1 culvert.	
229A	0.3	Gravel			Needs gravel	
231	0.8	Sealcoat	4 Gravel	3	Needs to be ressealed.	
237A	0.1	Sand			Needs gravel.	
Burlington						
238 Loop	0.4	Gravel			Needs gravel in spots.	
238A	1.1	Gravel			Needs gravel in spots.	

Road Number	Length	Surface	Bridges	Culverts	Comments
238B	0.5	Gravel		3	Needs gravel in spots.
238C	2.3	Gravel		2	Needs gravel in spots.
238	1.6	Gravel		6	Applied 1242 yards of gravel.
240	2.9	Sealcoat	1 Steel& concrete	6	Needs to be resealed.
240A	0.5	Gravel		2	Needs gravel
241 A	0.6	Gravel			Needs gravel
241 B	0.2	Gravel			Needs gravel
242	1.9	Gravel		2	Applied 36 yards of gravel.
242A	0.3	Gravel		1	Applied 162 yards of gravel.
244	1.4	Gravel		4	Applied 84 yards of gravel.
244A	0.5	Sand			Needs gravel.
245	0.9	Gravel		2	Needs gravel in spots.
245A	0.2	Gravel	Railroad Tank Car		Needs gravel.
246	0.3	Gravel			Applied 144 yards of gravel.
247	1.4	Gravel			Needs gravel.
248	1.4	Gravel		4	Applied 252 yards of gravel.
249	7.1	Gravel		13	Applied 324 yards of gravel.
249A	0.4	Gravel		1	Needs gravel
250	2.9	Sealcoat/gravel		7	Needs gravel in spots.
250 Loop	5.8	Gravel		8	Needs gravel in spots.
250A	0.2	Gravel			Fair road
251	0.3	Gravel		1	Needs gravel
252	1.3	Gravel		2	Needs gravel in spots.
253	0.6	Gravel		1	Needs gravel.
254N	1.3	Gravel		3	Good
254S	1.5	Gravel		2	Applied 12 yards of gravel.
255Loop	2.5	Gravel		5	Applied 584 yards of gravel.
255N	2.5	Gravel		3	Needs gravel
255E	3.3	Gravel		7	Needs gravel in spots.
255A	0.2	Gravel			Pebble Grove Cemetery, needs gravel.
255B	0.1	Gravel			Needs gravel.
256	0.6	Gravel		2	Needs gravel.
257	1.3	Gravel		1	Fair road
258	6.4	Gravel	1 Wood	8	Applied 36 yards of gravel.
259	9.8	Gravel	1 Steel&concrete 6 cement culverts	17	Applied 540 yards of gravel.
259A	0.1	Gravel			Needs gravel
260	0.9	Gravel		3	Applied 1926 yards of gravel.
262	0.6	Gravel		2	Needs gravel in spots.

Road Number	Length	Surface	Bridges	Culverts	Comments
263	1.2	Gravel		5	Applied 252 yards of gravel.
263Loop	0.4	Gravel		1	Needs gravel in spots.
263A	0.4	Gravel		2	Needs gravel
263B	0.2	Gravel		5	Applied 192 yards of gravel.
264	2.1	Gravel		13	Applied 288 yards of gravel.
264A	4.6	Gravel		3	Needs gravel in spots.
265S	0.9	Gravel		1	Needs gravel.
265N	0.3	Gravel		3	Needs gravel.
265A	0.8	Gravel		2	Needs gravel.
266	1.1	Gravel		21	Needs gravel.
266A	0.2	Gravel		3	Needs gravel.
267	6.1	Gravel		2	Needs gravel.
268	1.3	Gravel		8	Applied 1368 yards of gravel.
269	0.9	Gravel		1	Needs gravel.
270	5.7	Gravel	1 Steel	8	Applied 2178 yards of gravel.
270A	0.3	Gravel		3	Needs gravel.
271	0.6	Gravel		2	Needs gravel in spots.
271A	0.6	Gravel		6	Needs gravel.
272	1.6	Gravel		1	Extended bridge, replaced 2 culverts, & applied 990 yards of gravel.
273	4.1	Gravel		1	Needs gravel
274	0.9	Gravel		11	Replaced 2 culverts, and applied 144 yards of gravel.
274A	1.1	Gravel		7	Applied 60 yards of gravel.
275	3.8	Gravel		2	Needs gravel.
276	1.1	Gravel		3	Needs gravel in spots.
276A	0.7	Gravel		12	Applied 1008 yards of gravel.
277	6.7	Gravel	Concrete	5	Needs gravel in spots.
278	2.1	Gravel	1 Steel		Needs gravel in spots.
278A	2.6	Gravel	1 Steel		Fair shape
279	1.1	Gravel			Needs gravel.
Back Woods					
Rokkdale					
300	1.3	Gravel			Needs gravel.
301	1.1	Gravel			Needs gravel.
303	1.1	Paved		1	Applied 72 yards of gravel & added 10 feet to a culvert.
303B	0.3	Gravel		1	Needs gravel.
333	0.9	Gravel		3	Brush cut trees, & applied 18 yards of gravel.
335	3.3	Sealcoat 1.4 Gravel 1.9			Applied 654 yards of gravel & cleaned ditches.
Texas Street	0.5	Sealcoat			Needs resaling
Northwood Dr.	0.1	Sealcoat			

VOL. 63
PAGE 126
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
Northwood Cr.	0.6	Sealcoat			Needs resaling.
Minerva					
230 A	0.4	Gravel			Needs gravel.
232	3.4	Gravel		yes	Brush cut trees & cleaned ditches.
232 Loop	1.6	Sealcoat / gravel		yes	Brush cut trees & cleaned ditches.
232A	0.6	Gravel		yes	Applied 270 yards of gravel, and cleaned ditches, and brush cut trees.
232B	0.5	Gravel		yes	Cleaned ditches, and brush cut trees, and applied 474 yards of gravel.
233	1.2	Gravel		yes	Brush cut trees, and cleaned ditches.
235	4.4	Gravel	yes	yes	Cleaned ditches, and prepared road to sealcoat
235B	0.3	Gravel		yes	Cleaned ditches, and brush cut.
235C	0.6	Gravel		yes	Cleaned ditches and prepared to sealcoat road.
309	0.8	Gravel		yes	Cleaned ditches.
384	0.6	Gravel			Good
Cedar Grove	0.5	Sealcoat		yes	Brush cut trees.
Brair Lane	0.6	Sealcoat		yes	Brush cut trees.
Woods Road	0.1	Sealcoat			Brush cut trees.
Los Torrenos	0.9	Gravel		yes	Cleaned ditches.
Los Ranchillos	1.5	Gravel		yes	Cleaned ditches.
Refinery Road	0.2	Gravel			Good
River Ridge Dr.	1.2	Sealcoat		yes	Good
Did Tressle Rd	0.9	Sealcoat		yes	Good
Oak Hill Road	0.4	Sealcoat		yes	Good
Hidden Oak Rd	0.2	Saealcoat		yes	Good
Twin Lake Rd.	0.15	Sealcoat		yes	Good
Ranch House	0.2	Sealcoat		yes	Good
River View Rd.	0.6	Sealcoat		yes	Good
TOTAL MILES	211.7				
Area gained January 1 2012					
19,758 yards of gravel hauled from Sept. 1, 2011 - Aug. 31, 2012					

COUNTY OF Milam

§
§
§

PRECINCT NO. 3

ANNUAL ROAD REPORT

- 1. Condition of each road, culvert and bridge in the precinct: Attached
- 2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: 1,600,000
- 3. _____
- 4. Number of traffic control devices in the precinct (replaced or torn down): 60
- 5. Any new road that should be opened in the precinct: NO
- 6. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: Attached

Submitted by the undersigned on this 24th day of September, 2012

Jale Jacobs
Commissioner/Precinct _____

Subscribed and sworn to, before me, the undersigned authority, this 24th day of September, 2012.



DENISE WALLACE
My Commission Expires
November 10, 2014

Denise Wallace
Notary Public

Denise Wallace
My commissioner expires: 11-10-14

(File in minutes and submit to Commissioners Court with a copy of any road work contracts for past year. Section 251.005, Trans. Code)

Road Number	Length	Surface	Culverts	Bridges	Comments
334	7.1	Gravel	8	7	Remove 2 Metal Bridge / Culverts
334LP	1.3	Gravel	2	0	Culverts good
336	3.9	Gravel	5	0	35' Culverts Ammonsap Need to Be Replaced with a 40' x 25' Bridge - Have car culverts good
337	4.9	Gravel	5	1	35' metal Bridge Ammonsap Culverts good
339	3.7	Gravel	7	0	1 36' Drop culvert Need to Be Replaced
344	3.0	Gravel	2	1	Culverts good - State Bridge Little River
316A	1.5	Gravel	6	0	12' E Yeager Culverts Need Repl / other Culverts good Need 10' Tank Road Paved & Handwalks - In Street
314B	0.1	Gravel	0	0	
315	2.0	Gravel	5	0	good shape
316	2.4	Asphalt	3	0	culverts good
314	5.6	Am-paved 3.1 gravel	10	0	culverts good
316	1.1	paved	4	0	Culverts good
319	2.1	gravel	2	0	All good culverts
320	4.2	Am-paved 2.4 gravel	5	1	concrete Bridge River Branch Culverts good
321	0.8	Gravel	0		
322	9.5	2.5 pavement 7 gravel	20	0	5 are old but sound Need
322A	1.0	paved	2	0	Both New

Road Number	Length	Surface	Culverts	Bridges	Comments
323	4.1	gravel	11	0	All culverts are good
324	1.2	paved	3	0	2 are old but sound 1 new
325	2.7	2.1 paved 2.6 gravel	7	0	All New All Need More Csg
326	3.1	gravel	7	0	All culverts are good -
327	8.1	Gravel	6	1	RR Flat on bridge / culverts good
327A	0.5	gravel	2	0	New culverts
328	6.1	gravel	9	0	All culverts are good
329	2.4	2.1 paved 3 gravel	10	0	All good culverts
330	7.3	gravel	10	0	6 good 4 fair slope culverts
331	2.0	gravel	4	0	All culverts older but working
331A	2.0	gravel	3	0	All culverts good
331B	1.0	gravel	3	0	All culverts good
331C	0.7	gravel	0	0	
333	1.8	1 paved 9 gravel	3	0	2 new / one concrete
334	4.2	2.1 paved 2.1 gravel	9	0	All culverts good
335	1.2	paved	1	0	Culvert old but good shape
336	2.3	1.2 paved 1.1 gravel	4	0	All culverts good
336A	.08	gravel	0	0	

Road Number	Length	Surface	Bridges	Culverts	Comments
337	2.0	gravel	0	4	1 tan ft RR Tanker / culverts good
338	1.1	gravel	0	1	New culverts Added where passenger
339	4.2	gravel	4/0	4	All culverts good
340	2.6	gravel	0/0	4	All culverts good
340A	1.1	gravel	0/0	3	All culverts good
341	2.0	gravel	0	0	
342	15.1	gravel	10/0	0/17	4 need to be replaced 13 good
343	5.1	gravel	1	8	10' thick concrete / handbuilt concrete Bridge All culverts good
344LP	3.4	gravel	0	8	Needs to be replaced 7 good
344	2.0	gravel	0	2	Culverts fair
347LP	2.6	paved	0	4	All culverts good
348LP	2.2	gravel	0	4	All fair
349	0.4	gravel	0	0	
350	1.2	gravel	0	1	culvert good
351	2.0	gravel	0	2	culverts good

Road Number	Length	Surface	Bridges	Culverts	Comments
352	1.0	Gravel	0	1	good culvert
353	12.3	Gravel	2	14	2 concrete bridges / 2 ten ft tank covers with handwalks
355A	0.3	Gravel	0	0	
355B	0.3	Gravel	0	0	
355 Cp	2.8	Gravel	0	4	Culverts Good
356	1.7	Gravel	0	2	Culverts Good
357	1.0	Gravel	0	1	culvert Good
357A	0.3	Gravel	0	0	
358	8.1	Gravel 1.1 paved gravel	2	9	2 concrete bridges / 2 culverts need to be replaced - 7 good
359	0.9	gravel	0	3	Culverts good
360	0.9	gravel	0	3	culverts good
364	7.2	gravel	1	7	1 concrete bridge / 5 good culverts one need to be replaced
372	1.0	gravel	0	2	culverts fair
373	0.5	gravel	0	0	

Road Number	Length	Surface	Culverts	Bridges	Comments
374	1.2	gravel	2	0	1 Needs to be replaced / 1 good
375	0.9	gravel	1	0	New culvert
378	0.3	GRAVEL	0	0	
379	0.3	gravel	0	0	
380	1.1	Paved (2012)	4	0	Culverts at US 79 State Needs to be replaced / 3 good
381	0.8	gravel	0	0	
383	0.5	gravel	1	0	good with concrete headwall
Silver Springs 1.3		gravel	3	0	All good

COUNTY OF Milam

PRECINCT NO. 4

ANNUAL ROAD REPORT

1. Condition of each road, culvert and bridge in the precinct:

List of Roads & Comments attached

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:

\$1,100,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 60

4. Any new road that should be opened in the precinct: NONE

5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: TXDOT CONDEMNED San Gabriel River B ridge


On (4/26/2011) and have agreed to restore for an estimated \$1,000,000.00. TXDOT has also, agreed to replace Brushy Creek Bridge for an estimated \$1,000,000.00. Projects to be done are: Replacing (2) Pipes 54"X30' arched pipes (Total Cost \$11,275.00) on CR 412 1.1 miles from FM 486. Replacing (1) pipe 72"X40' arched pipe (Total Cost \$10,149.00) on CR 412 2.1 miles from FM 486. Also, replacing (1) pipe 91"X 142" (10' Arched 40' Pipe (Total Cost \$22,725.00) on CO RD 443 8 tenths of a mile West of FM 486.

Submitted by the undersigned on this 20 day of September

Jeff Muegg
Commissioner, Precinct #4

Subscribed and sworn to, before me, the undersigned authority, this 20th day of September, 2012.

Denise Wallace
Notary Public



Denise Wallace - Milam County
My commission expires: 11-10-14

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

VOL. 63 PAGE 134
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
302	3.1	Seal-coat	0	6	Deteriorating - bad sections (Replaced 144" culvert 08/09)
302-A	0.2	Seal-coat	0	1	
304	4.85	Gravel	0	13	Developing area - high traffic count, Applied TX Glue (07/02/12)
304-A	0.6	Gravel	0	1	
305	2.6	Seal-coat	0	4	High traffic count - just north of Rockdale
306	3.2	Seal-coat	0	7	Installed 5' & 40' Alum Arched culvert (03/20/12)
307	1.1	Seal-coat & gravel	0	2	Seal-coated remaining 0.6 mile with RAPS (9/7, 9/12-13/11)
308	0.5	Seal-coat	0	2	Subdivision
308-A	0.7	Seal-coat	0	2	Subdivision
310	0.5	Gravel/Seal-coat	0	1	Applied RAPS 0.2 miles 7/7/11
311	0.3	Seal-coat	0	2	Subdivision
312	1.7	Gravel	0	4	
313	6.5	Seal-coat & gravel	0	7	Applied Envirotac II to 2 miles west of Hwy. 77
313-A	3.6	Gravel	0	4	
313-B	1	Slag	0	1	
313-C	0.3	Slag	0	2	
314	4.2	Gravel	0	15	
314-A	0.35	Gravel	0	2	
317	0.8	Gravel	0	2	
412	4.4	Gravel	0	13	
412-A	1	Gravel	0	10	
412-B	0.1	Gravel	0	0	
417	2	Gravel	0	4	
418	1.3	Gravel	0	4	
418-B	0.6	Gravel	0	2	
418-C	0.8	Gravel	0	2	
419	1.4	Gravel	0	4	Installed 18"x48" culvert (05/09/12)
420	1.6	Gravel & Seal-coat	0	4	Replaced (1) 54" x 40' arched pipe & replaced (2) 48" x 40' arched pipes (9/15-16/11), Applied TX Glue (05/1-4 & 17/12), Seal-Coated (7/31-8/1 & 8/14/12)
421	3.7	Gravel & Seal-coat	0	6	
421-A	0.2	Seal-coat	0	1	In San Gabriel
422	1.1	Gravel	0	2	
426	1.2	Gravel	0	2	Applied TX Glue (06/21-22/12)
428	2.8	Seal-coat	1	4	Replace bridge & resurfacing. TXDOT condemned bridge (4/26/11), Applied TX Glue (04/24/12),

VOL 63 PAGE 135
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
429	3.4	Gravel	1	10	Bridge replaced in 2004, Installed 18" & 30' arched pipe and 24" & 30" arched pipe and 30" & 30' arched pipe (2/28-29/12). Erected Historical Marker (05/07/12)
430	3.8	Gravel	0	6	
430-A	0.5	Gravel			
431	0.85	Gravel	0	4	
432	4.3	Gravel	0	6	
434	6.5	Seal-coat	0	12	
436	0.6	Gravel	0	3	
437	2	Seal-coat 1.25 & Gravel	0	7	Applied TX Glue (07/19/12)
438	1.9	Gravel	0	2	
439	2.4	Gravel	0	5	
440	5.4	Seal-coat & Gravel	3	8	Brushy Creek bridge replaced in 2001-Relief bridges need replacing. Seal-coated 1 mile from intersection of CR 446 & seal-coated over Texas Road Glue (8/16/11), Hauled RAPS (10/4/11) Applied TX Glue (06/6, 06/14-15), Seal-Coated from 446 to 442 (08/14-15/12)
442	2	Gravel	0	7	Replaced 12 ft. culvert (6/07), Seal-coated (09/27-28/11)
443	8.5	Seal-coat & Gravel	3	11	Brushy Creek bridge replaced in 2002, Turkey Creek bridge replaced in 2000, Hauled RAPS 09/19-20/11
446	8.1	Seal-coat	0	17	Replaced 7 ft. Culvert (3/8/11)
446-A	0.4	Gravel			
447	3.3	Gravel			
448	8.5	Seal-coat & Gravel	0	11	Seal-coated from intersection CR 455 1.2 miles with RAPS (09/01/11), Installed Culvert 24" & 50' Arched pipe (11/18/11) Installed 36" & 50' pipe 11/29/11), Applied TX Glue (08/02/12)
448-A	0.5	Gravel	0	1	Installed 48" x 40' Alum Arched Culvert (04/10/12)
449	4	Seal-coat 2.0 & Gravel	0	5	Installed 48" x 40' Alum arched culvert (03/28/12)
449-A	0.6	Gravel	0	2	
450	4	Seal-coat	0	8	
451	0.5	Seal-coat	0	1	

Road Number	Length	Surface	Bridges	Culverts	Comments
452	0.7	Gravel	0	1	
454	4.7	Seal-coat 2.5 & Gravel 2.2	0	8	
455	10.6	Seal-coat	0	15	Replaced(John Caffey) 48" culverts (06-09), Replaced 9 ft. & 50 ft. (7/12/11) (Conley)
456	2.1	Gravel	0	3	
457	4.3	Seal-coat & Gravel	0	6	Applied TX Glue (07/18/12)
458	2.2	Seal-coat	0	6	Placed RAPS (04/16/12)
458-A	3.1	Seal-coat	0	6	Seal-coated in (8/06)
459	1.7	Gravel .3 & Seal-coat	0	4	Installed 114" x45' Alum Culvert (04/12-13/12)
460	1.9	Gravel	0	3	
461	0.4	Seal-coat	0	2	
470	0.35	Gravel	0	1	
Griffith Lane	0.5	Gravel	0	2	
Bush Road	0.9	Seal-coat	0	3	
Perry Lane	1.1	Gravel	0	2	
Cumley Lane	1.2	Gravel	0	3	
Jost Lane	0.6	Gravel	0	2	
Champions Drive	0.55	Seal-coat	0	1	Applied bladed mix (09/2010)
Praesel Addition	2.45	Seal-coat	0	22	
Russel Addition	0.4	Seal-coat	0	2	
Cypress Trail	2.2	Seal-coat	0	5	
Western Hills	1.5	Seal-coat	0	5	
Oak Park Addition	1.45	Seal-coat	0	5	
Rockdale West	0.7	Seal-coat	0	4	
Boyd Addition	0.2	Seal-coat	0	2	
Elm Creek Estates	0.85	Seal-coat	0	2	Installed of 72 in X 40 ft. aluminized culvert (3/2/12)
Gabriel's Crossing Addition	0.5	Seal-coat	0	5	
All Day St.	0.5	Seal-coat	0	0	
Beverly Dr.	0.5	Seal-coat	0	0	
Sandoval Rd.	0.5	Seal-coat	0	1	
Total Miles	179				
Total Bridges			8		
Total Culverts				383	