

COUNTY OF MILAM

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See Attached Report

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:

\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 25%


4. Any new roads that should be opened in the precinct . None

5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 3 Wooden bridges need to be replaced, some roads need to be resealed, and some roads need to have gravel applied.

Submitted by the undersigned on this 18th day of September, 2013.

[Signature]
Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 18th day of Sept
2013



[Signature]
Notary Public

[Signature]
My commission expires: 11/10/14

(File in the minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of county fiscal year-Section 251.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
100	0.2	Gravel		yes	Good
101	1.1	Gravel		yes	Trimmed brush, applied road glue, & chip seal road.
102	2.5	Gravel		yes	Good
103	1.7	Gravel		yes	Worked ditches, and cleared trees.
104	7.9	Gravel and sealcoat	yes	yes	Applied 2520 yards of gravel.
104 Loop	0.6	Gravel		yes	Worked ditches, and installed a culvert.
104 A	0.5	Gravel			Road was brush cut.
104 B	0.3	Gravel		yes	Worked ditches and applied 400 yards base.
104 C	0.5	Gravel		yes	Good
105	0.9	Gravel		yes	Applied 48 yds. of gravel.
106	1.2	Gravel	yes	yes	Good
107	0.5	Gravel		yes	Good
108	1.1	Gravel		yes	Applied 220 yards of gravel.
108 A	0.7	Gravel		yes	Good
109	1.9	Gravel		yes	Applied 130 yards of base.
110	1.3	Gravel		yes	Applied 180 yards of gravel.
111	0.7	Gravel		yes	Trimmed brush.
112	4.6	Gravel		yes	Applied 494 yards of base.
112 A	0.5	Gravel		yes	Good
112 B	0.4	Gravel			Good
113	1.1	Gravel		yes	Good
114	2.1	Gravel		yes	Worked ditches, replaced 2 culverts, and applied 1660 yards of gravel.
115	2.8	Gravel		yes	Applied 48 yards of base.
115 A	0.2	Gravel			Lake road
116	6.1	Gravel	yes	yes	Replaced culvert, and applied 140 yards of gravel.
116 A	0.9	Gravel		yes	Good
117	1.4	Gravel		yes	All of road needs gravel
118	1.4	Gravel			Good
118 A	0.7	Gravel		yes	Good
119	2.8	Gravel	yes	yes	Good
120	3.5	Gravel	yes	yes	Applied 680 yards of gravel.
122	0.8	Gravel and sealcoat		yes	Good
123	0.5	Gravel		yes	Trimmed brush and chip sealed.
124	0.8	Gravel			Good
125	0.6	Sealcoat			Trimmed brush, reworked surface, and chip sealed.
126	0.4	Gravel			Needs spots graveled.

Road Number	Length	Surface	Bridges	Culverts	Comments
131	2.8	Sealcoat and gravel			Patched road.
132	1.8	Gravel		yes	Good
143	2.3	Seal coat		yes	Patched road.
143 A	0.4	Gravel			Good
144	1.1	Seal coat		yes	Needs resurfaced.
144 A	0.2	Gravel		yes	Good
145	3.1	Sealcoat and gravel		yes	Needs resurfacing.
145 A	1.1	Gravel		yes	Good
146	3.3	Gravel		yes	Good
147	1.8	Gravel	yes	yes	Replaced culvert, worked ditches, & applied 336 yards of gravel
150	0.9	Gravel			Good
201	3.1	Gravel		yes	Good
202	1.7	Gravel		yes	Installed culvert and applied 1746 yards of gravel on road.
202 A	0.2	Gravel			Chip sealed.
203 Loop	6.5	Gravel and base		yes	Good
204	2.1	Gravel and sealcoat		yes	Worked ditches, and trimmed brush.
204 A	0.5	Gravel			Good
204 B	0.5	Gravel			Good
205	1.4	Gravel		yes	Worked ditches.
205 A	0.3	Gravel			Good
205 B	1.9	Gravel		yes	Brush cut.
206	3.2	Gravel		yes	Worked ditches, installed culvert, chip sealed road.
206 A	0.5	Gravel		yes	Good
207	1.5	Gravel		yes	Applied 396 yards of base.
208	3.4	Gravel and sealcoat		yes	Cut brush.
208 A	0.7	Gravel			Good
209	1.6	Gravel		yes	Good
209 A	0.5	Gravel		yes	Good
210	2.7	Gravel		yes	Good
212	4.1	Gravel		yes	Hauled 84 yards of rock in wash and 1044 yards of gravel on road.
213	1.2	Gravel		yes	Worked ditches and applied 180 yards of gravel on road.
214	1.9	Gravel		yes	Replaced 2 culverts, and applied road glue
215	3.1	Gravel		yes	Applied 80 yards of base, 72 yards cold mix, and chip sealed road.
215 A	0.6	Gravel			Good
216	1.2	Gravel			Good
216 A	0.8	Gravel		yes	Good

Road Number	Length	Surface	Bridges	Culverts	Comments
217	1.4	Gravel		yes	Cleaned ditches, and applied 1044 yards of gravel.
217 A	0.2	Gravel		yes	Good
218	2.5	Gravel	yes	yes	Applied 210 yards of gravel.
218 A	0.3	Gravel		yes	Cleared fence row.
219	2.1	Gravel			Cut brush, and applied 2640 yards of gravel.
220	1.3	Gravel		yes	Good
221	0.7	Sealcoat and gravel		yes	Patched road.
222	1.1	Gravel		yes	Needs binder.
223	0.9	Sealcoat		yes	Chip sealed road.
230	4.1	Gravel	yes	yes	Road needs gravel and bridges replaced
401	1.2	Gravel		yrs	Road needs gravel.
402	3.4	Sealcoat and gravel	yes	yes	Good
402 A	0.4	Gravel		yes	Road needs gravel
403	1.9	Gravel	Washed out	yes	Needs to be trimmed.
404	0.3	Gravel			Good
404 Loop	3.2	Gravel		yes	Good
405	3.4	Gravel	yes	yes	Replaced wooden bridge with concrete bridge, and brushcut road.
406	3.8	Gravel		yes	Applied 2064 yards of gravel.
407	2.9	Gravel		yes	Applied 180 yards of gravel.
408	2.8	Gravel		yes	Applied 500 yards of gravel.
409	1.7	Gravel		yes	Good
410	1.6	Gravel and sealcoat		yes	Good
410 A	0.3	Gravel and sealcoat			Good
411	0.9	Gravel			Good
412	7.8	Gravel		yes	Applied 380 yards of gravel.
413	1.9	Gravel		yes	Needs some gravel.
414	3.9	Gravel		yes	Applied 140 yards of gravel.
415	1.3	Gravel		yes	Good
416	0.7	Gravel		yes	Good
417	2.3	Gravel	yes	yes	Good
418	4.7	Gravel		yes	Applied 488 yards of gravel.
418 A	0.5	Gravel		yes	Brush cut.
418 B	0.6	Gravel		yes	Good
422	3.1	Gravel		yes	Cleared fence row, applied 1348 yards of base, and 1600 yards of gravel
422 A	0.3	Gravel			Good
423	0.9	Gravel	yes	yes	Applied 180 yards of gravel.

Road Number	Length	Surface	Bridges	Culverts	
423 A	0.9	Gravel		yes	Good
424	1.1	Gravel		yes	Applied 300 yards of base.
470	0.6	Gravel		yes	Good
Capital Lane	0.9	Gravel		yes	Cleaned ditches, replaced 3 culverts, and applied 100 yards of gravel.
Village Lane	0.2	Gravel			Good
College Lane	0.2	Gravel			Good
Alamo Road	1.2	Sealcoat		yes	Needs to be resealed.
Ben Milam Rd.	1.1	Sealcoat		yes	Needs to be resealed.
Laughlin Road	0.6	Gravel		yes	Good
Goetz Road	0.9	Sealcoat		yes	Road needs to be sealcoated.
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.
					196.4 Miles in Precinct 1
					18,280 Yards of Gravel used.
					3,148 Yards of Base used.
					198.6 Tons Cold Patch Mix.
					2.6 Miles Chipsealed

CR230 EMP

VOL. 66 PAGE 748
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

01/01/2011 AM 04:37





01/01/2011 AM 04:39

COUNTY OF MILAM

PRECINCT NO. 2

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:

See attached report

2. Amount of money for maintenance of the precinct roads during the next fiscal year:

\$800,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 40%

4. Any new road that should be opened in the precinct: None


5. Any bridge, culvert, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 3 wooden bridges need to be replaced

Submitted by the undersigned on this 20th day of September 2013.

Kenneth Hollos
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 20th day of September, 2013

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-14

(File in minutes and submit to grand jury with a copy of any road work contracts for the past year during ninth month of the fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
132	0.5	Gravel	1 Steel	1	Needs gravel.
133W.	8.6	Gravel		22	Applied 1190 cy of gravel and needs 2 10 ft. culverts replaced.
133E.	1.1	Gravel	2 Steel	1	Needs gravel in spots.
133A	0.3	Gravel		2	Needs gravel in spots.
133B	0.1	Gravel		2	Needs gravel in spots.
133C	0.5	Gravel		2	Needs gravel in spots.
134W.	2.8	Gravel		5	Needs gravel in spots.
134E.	1.4	Gravel		4	Applied 516 cy of gravel.
134A	0.8	Gravel		3	Needs gravel in spots.
134B	0.3	Gravel		1	Needs gravel in spots.
135	3.3	Gravel		14	Needs gravel in spots.
135A	0.2	Gravel		1	Needs gravel in spots.
136	3.5	Gravel		10	Applied 186 cy of gravel.
136A	0.4	Gravel		2	Needs gravel in spots.
137	2.3	Gravel		8	Applied 360 cy of gravel.
137A	0.3	Gravel			Needs gravel in spots.
138	1.9	Gravel	Bridge		Needs gravel in spots.
139 Loop	4.6	Gravel		8	Applied 180 cy of gravel.
139	2.4	Gravel		14	Needs gravel in spots.
139A	0.1	Gravel		1	Needs gravel in spots.
140	3.1	Sealcoat	1 Steel&concrete	8	Applied 132 tons of cold patch.
140A	0.4	Gravel		1	Needs gravel.
142	0.5	Gravel		5	Applied 54 cy of gravel.
142A	0.5	Gravel		2	Good. Replaced 1 culvert.
225	0.7	Gravel		1	Good.
226	1.6	Gravel		6	Needs gravel in spots.
226A	0.3	Gravel			Needs gravel in spots.
227	4.4	Sealcoat	1 Steel&concrete	24	Needs gravel in spots.
228	1.7	Sealcoat		4	Road has some potholes.
228A	0.4	Gravel			Road has some potholes.
228B	0.5	Gravel			Needs gravel in spots.
228C	1.2	Gravel		2	Applied 120 cy of gravel.
229	3.3	Sealcoat		9	Needs gravel in spots.
229A	0.3	Gravel			Needs to be ressealed.
231	0.8	Sealcoat		3	Needs gravel.
237A	0.1	Sand			Fair
Burlington					Needs gravel.
238 Loop	0.4	Gravel			Fair
238A	1.1	Gravel			Fair

Road Number	Length	Surface	Bridges	Culverts	Comments
238B	0.5	Gravel		3	Good
238C	2.3	Gravel		2	Applied 268 cy of gravel.
238	1.6	Gravel		6	Applied 36 cy of gravel.
240	2.9	Sealcoat	1 Steel& concrete	6	Applied 202 tons of cold patch.
240A	0.5	Gravel		2	Applied 36 cy of cold patch.
241	2.4	Gravel			Applied 72 cy of gravel.
241 A	0.6	Gravel			Needs gravel.
241 B	0.2	Gravel			Good
242	1.9	Gravel		2	Applied 324 cy of gravel.
242A	0.3	Gravel		1	Needs gravel.
244	1.4	Gravel		4	Applied 1278 cy of gravel.
244A	0.5	Sand			Narrow road.
245	0.9	Gravel		2	Applied 540 cy of gravel.
245A	0.2	Gravel			Needs gravel.
246	0.3	Gravel	Railroad Tank Car		Applied 1170 cy of gravel.
247	1.4	Gravel			Applied 846 cy of gravel.
248	1.4	Gravel		4	Needs gravel in spots.
249	7.1	Gravel		13	Needs gravel in spots.
249A	0.4	Gravel		1	Fair
250	2.9	Sealcoat/gravel		7	Applied 36 cy of gravel.
250 Loop	5.8	Gravel		8	Applied 144 cy of gravel.
250A	0.2	Gravel			Needs gravel in spots.
251	0.3	Gravel		1	Needs gravel in spots.
252	1.3	Gravel		2	Needs gravel in spots.
253	0.6	Gravel		1	Needs gravel in spots.
254N	1.3	Gravel		3	Needs gravel in spots.
254S	1.5	Gravel		2	Applied 882 cy of gravel.
255Lloop	2.5	Gravel		5	Applied 2214 cy of gravel.
255N	2.5	Gravel		3	Applied 24 cy of gravel.
255E	3.3	Gravel		7	Needs gravel in spots.
255A	0.2	Gravel			Needs gravel in spots.
255B	0.1	Gravel			Needs gravel in spots.
256	0.6	Gravel		2	Needs gravel in spots.
257	1.3	Gravel		1	Applied 54 cy of gravel.
258	6.4	Gravel	1 Wood	8	Needs gravel in spots, and need to replace wooden bridge.
259	9.8	Gravel	1 Steel&concrete 6 cement culverts	17	Needs gravel and culverts.
259A	0.1	Gravel			Needs gravel.
260	0.9	Gravel		3	Applied 24 cy of gravel.

Road Number	Length	Surface	Bridges	Culverts	Comments
262	0.6	Gravel		2	Needs gravel.
263	1.2	Gravel		5	Needs gravel in spots.
263Loop	0.4	Gravel		1	Needs gravel in spots.
263A	0.4	Gravel		2	Needs gravel in spots.
263B	0.2	Gravel		5	Needs gravel in spots.
264A	2.1	Gravel		13	Applied 12 cy of gravel.
264	4.6	Gravel		3	Needs gravel and 1 culvert.
265S	0.9	Gravel		1	Applied 432 cy of gravel.
265N	0.3	Gravel		3	Needs gravel.
265A	0.8	Gravel		2	Needs gravel.
266	1.1	Gravel		21	Needs gravel.
266A	0.2	Gravel		3	Needs gravel and wooden bridge needs repair.
267	6.1	Gravel		2	Needs gravel.
268	1.3	Gravel		8	Needs gravel and replace culvert 36" x 40'.
269	0.9	Gravel		3	Needs gravel.
270	5.7	Gravel	1 Steel	2	Needs gravel.
270A	0.3	Gravel		3	Needs gravel.
271	0.6	Gravel		2	Needs gravel.
271A	0.6	Gravel		3	Needs gravel.
272	1.6	Gravel		6	Needs gravel.
273	4.1	Gravel		1	Needs gravel.
274	0.9	Gravel		3	Needs gravel.
274A	1.1	Gravel		11	Good.
275	3.8	Gravel		7	Needs gravel.
276	3.8	Gravel	20'x40' Steel/Concrete	2	Needs gravel.
276A	1.1	Gravel		3	Fair.
277	0.7	Gravel	1 Steel&concrete	12	Needs gravel.
278	6.7	Gravel	Concrete	5	Needs gravel.
278A	2.1	Gravel	1 Steel	1	Applied 1116 cy of gravel.
279	2.6	Gravel	1 Steel		Needs gravel.
Back Woods	1.1	Gravel			
Rockdale					
300	1.3	Gravel			Needs gravel.
301	1.1	Gravel			Needs gravel.
303	1.1	Paved		1	Applied 24 cy of base and 72 cy cold patch.
303B	0.3	Gravel		1	Needs gravel.
333	0.9	Gravel		3	Needs gravel and a culvert.
335	3.3	Sealcoat 1.4 Gravel 1.9			Applied 5484 cy of gravel.
Texas Street	0.5	Gravel			Applied 1477 tons of limestone base.

Road Number	Length	Surface	Bridges	Culverts	Comments
Northwood Dr.	0.1	Sealcoat			Fair
Northwood Cr.	0.6	Sealcoat			Needs resealing
Minerva					
230 A	0.4	Gravel			Needs gravel.
232	3.4	Gravel		yes	Needs gravel.
232 Loop	1.6	Sealcoat / gravel		yes	Needs gravel.
232A	0.6	Gravel		yes	Needs gravel.
232B	0.5	Gravel			Needs gravel.
233	1.2	Gravel		yes	Needs gravel.
235	4.4	Gravel	yes	yes	Applied 2838 cy of gravel.
235B	0.3	Gravel		yes	Needs gravel.
235C	0.6	Gravel		yes	Needs gravel.
309	0.8	Gravel		yes	Applied 408 cy of gravel and replaced cattleguard.
384	0.6	Gravel			Needs gravel.
Cedar Grove	0.5	Sealcoat		yes	Needs gravel.
Brair Lane	0.6	Sealcoat		yes	Needs gravel.
Woods Road	0.1	Sealcoat		yes	Needs gravel.
Los Torrenos	0.9	Gravel			Fair
Refinery Road	1.5	Gravel		yes	Applied 378 cy of gravel.
Refinery Road	0.2	Gravel		yes	Applied 252 cy of gravel.
River Ridge Dr	1.2	Sealcoat		yes	Needs gravel.
Old Tressle Rd	0.9	Sealcoat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
Oak Hill Road	0.4	Sealcoat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
Hidden Oak Rd	0.2	Saaloat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
Twin Lake Rd.	0.15	Sealcoat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
Ranch House	0.2	Sealcoat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
River View Rd.	0.6	Sealcoat		yes	Keith Debat Subdivision, no houses. He has abandoned subdivision.
211.7 Total miles of roads.					
23,285 cy of gravel applied to roads					
6,372 tons of limestone base stockpiled on yard.					

COUNTY OF MILAM

PRECINCT NO. 3

§
§
§

ANNUAL ROAD REPORT


1. Condition of each road, culvert and bridge in the precinct:
ATTACHED
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
1,600,000
3. _____
4. Number of traffic control devices in the precinct defaced or torn down: 60
5. Any new road that should be opened in the precinct: 375 to 342
6. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: ATTACHED

Submitted by the undersigned on this _____ day of _____.

John L Fisher
Commissioner, Precinct 3

Subscribed and sworn to, before me, the undersigned authority, this 20th day of September, 2013.

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-14

(File in minutes and submit to Commissioners Court with a copy of any road work contracts for past year. Section 251.005, Trans. Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
239	7.1	Gravel	2	8	2 Concrete & Metal Bridges
234LP	1.3	Gravel	0	2	Culverts Good
236	3.9	Gravel	0	5	2 culverts at summit may need to be replaced with 2 tank cur
237	4.9	Gravel	1	5	
239	3.7	Gravel	0	7	
244	3.0	Gravel	1	2	Culverts Good (State Bridge like Riv need fill at end
316A	1.5	Gravel	0	6	12' E of gully culvert needs replaced other culverts Good need 10ft tank cur
314B	0.1	Gravel	0	0	
315	2.0	Gravel	0	5	Good shape
316	2.4	Millings & Base	0	3	Culverts good
314	5.6	2 Paired 36" Gravel	0	10	
318	1.1	Paved	0	4	
319	2.1	Gravel	0	3	
320	4.2	2.5 Paired 7" Gravel	1	5	Concrete Bridge River Branch Culverts good
321	0.8	GRAVEL	0	0	

Road Number	Length	Surface	Bridges	Culverts	Comments
322	9.5	2.5 Paved 7 Gravel	0	20	Same old 1 needs replaced
322A	1.0	Paved	0	2	Good Shape
323	4.1	Gravel	0	11	Good Shape
324	1.2	Paved	0	3	1 good 2 old but sound
325	2.7	0.1 Paved 2.6 Gravel	0	7	
326	3.1	Gravel	0	7	1 new - 6 good
327	8.1	Gravel	1	6	Heatlan Bridge 1 culvert need replaced
327A	0.5	Gravel	0	2	Good Shape
328	6.1	Gravel	0	9	Good
329	2.4	2.1 Paved 0.3 Gravel	0	10	Good
330	7.3	Gravel	0	10	Good 4 fans
331	2.0	Gravel	0	4	older but working
331A	2.0	Gravel	0	3	Good
331B	1.0	Gravel	0	3	Good
331C	0.7	Gravel	0	0	2 good 1 concrete
333	1.8	0.9 Paved 0.9 Gravel	0	3	

Road Number	Length	Surface	Bridges	Culverts	Comments
334	4.2	2.1 Pavement 2.1 Gravel	0	9	Good
335	1.2	Paved	0	1	old but good
336	2.3	1.2 Pavement 1.1 Gravel	0	4	Good
336A	.03	Gravel	0	0	
337	2.0	Gravel	0	4	1-10' bank cur (culverts good)
338	1.1	Gravel		1	Good
339	4.2	Gravel	0	4	Good
340	2.6	Gravel	0	4	Good
340A	1.1	Gravel	0	3	Good
341	2.0	Gravel	0	0	
342	15.1	Gravel	0	17	3 need replaced 14 good
343	5.1	Gravel	1	8	1 bank cur with bad walls Good
344A	3.4	Gravel	0	8	1 needs replaced 7 good
346	2.0	Gravel	0	2	Both replaced
347A	2.6	Paved		4	7 are

Road Number	Length	Surface	Bridges	Culverts	Comments
348CP	2.2	Gravel	0	4	3 fair 1 replaced
349	0.4	Gravel	0	0	
350	1.2	Gravel	0	1	Good
351	2.0	Gravel	0	2	good
352	1.0	Gravel	0	1	good
353	12.3	Gravel	2	14	2 concrete 2 tanks @ headwall Replaced 1 culvert - not good
355A	0.3	Gravel	0	0	
355B	0.3	Gravel	0	0	
355CP	2.8	Gravel	0	4	Good
356	1.7	Gravel	0	2	Good
357	1.0	Gravel	0	1	
357A	0.3	Paved	0	0	
358	8.1	1.5 Paved 7 Gravel	2	9	2 concrete Bridges 2 culverts need replaced
359	0.9	Gravel	0	3	Good
360	0.9	Gravel	0	3	Good

Road Number	Length	Surface	Bridges	Culverts	Comments
368	7.2	Gravel	1	7	General Bridge / Culvert work replaced
372	1.0	Gravel	0	2	Fair
373	0.5	Gravel	0	0	
374	1.2	Gravel	0	2	Have been replaced
375	0.9	Gravel	0	1	Good
378	0.3	Gravel	0	0	
379	0.3	Gravel	0	0	
380	1.1	Paved	0	4	Good
381	0.8	Gravel	0	0	
383	0.5	Gravel	0	1	Good
Stump Run	1.3	Gravel	0	3	all good
Lawrence Rd	1.8	Paved	0	17	all good

193.5 miles

COUNTY OF Milam

PRECINCT NO. 4

ANNUAL ROAD REPORT

1. Condition of each road, culvert and bridge in the precinct:

List of Roads & Comments attached

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:

\$1,500,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 50

4. Any new road that should be opened in the precinct: NONE


5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: TXDOT condemned San Gabriel River Bridge on (4/26/2011) and have agreed to restore for an estimated \$1,000,000.00. TXDOT has also, agreed to replace Brushy Creek Bridge for an estimated \$1,000,000.00. Replaced culverts on CR 443 x2 142"x91"x40' Alum. \$50,000.00. CR 443, 446, and 455 reclaim & resurfaced sections about 2 miles long each for an estimated \$600,000.00.

Submitted by the undersigned on this 20th day of September

Jeff Muggs
Commissioner, Precinct 4

Subscribed and sworn to, before me, the undersigned authority, this 20th day of September, 2013

Denise Wallace
Notary Public



Denise Wallace
My commission expires: 11-10-14

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
302	3.1	Seal-coat	0	6	Deteriorating - bad sections (Replaced 144" culvert 08/09); Sprayed weeds (06/27/13)
302-A	0.2	Seal-coat	0	1	
304	4.85	Gravel	0	13	Developing area - high traffic count, Applied TX Glue (07/02/12); 01/31/13 installed 50' x 3' alum arched culvert. Installed culvert 18" band w/stopped ends. 04/19/13 applied TX Glue; Cleared ROW (06/26/13); Sprayed weeds (06/27/13) applied Glue(8/7/13)
304-A	0.6	Gravel	0	1	
305	2.6	Seal-coat	0	4	High traffic count - just north of Rockdale; Clear ROW and widen road (07/24/13)
306	3.2	Seal-coat	0	7	Installed 5' & 40' Alum Arched culvert (03/20/12) Patched road (05/01/12); Sprayed weeds (06/24/13)
307	1.1	Seal-coat & gravel	0	2	Seal-coated remaining 0.6 mile with RAPS (9/7, 9/12-13/11) Patched road (05/01/13); Sprayed weeds (06/24/13)
308	0.5	Seal-coat	0	2	Subdivision
308-A	0.7	Seal-coat	0	2	Subdivision
310	0.5	Gravel/Seal-coat	0	1	Applied RAPS 0.2 miles 7/7/11
311	0.3	Seal-coat	0	2	Subdivision
312	1.7	Gravel	0	4	
313	6.5	Seal-coat & gravel	0	7	Applied Envirotac II to 2 miles west of Hwy. 77
313-A	3.6	Gravel	0	4	
313-B	1	Slag	0	1	
313-C	0.3	Slag	0	2	
314	4.2	Gravel	0	15	Watered, Blade & Oiled (07/01 & 02/13)
314-A	0.35	Gravel	0	2	
317	0.8	Gravel	0	2	
412	4.4	Gravel	0	13	Installed 40' x 7' arched alum culvert 2/13/13. Installed 7' alum arched culvert 04/24/13.
412-A	1	Gravel	0	10	
412-B	0.1	Gravel	0	0	
417	2	Gravel	0	4	
418	1.3	Gravel	0	4	
418-B	0.6	Gravel	0	2	
418-C	0.8	Gravel	0	2	
419	1.4	Gravel	0	4	Installed 18" x 48' culvert (05/09/12) Hauled gravel(05/24/2013) Installed 30' x 48" arch culvert (07/10/13)

Road Number	Length	Surface	Bridges	Culverts	Comments
420	1.6	Seal-coat	0	4	Replaced (1) 54" x 40' arched pipe & replaced (2) 48" x 40' arched pipes (9/15-16/11), Applied TX Glue (05/1-4 & 17/12), Seal-Coated (7/31-8/1 & 8/14/12)
421	3.7	Gravel & Seal-coat	0	6	
421-A	0.2	Seal-coat	0	1	In San Gabriel
422	1.1	Gravel	0	2	
426	1.2	Gravel	0	2	Applied TX Glue (06/21-22/12) Applied Tx Glue (05/09/13) Replace bridge & resurfacing. TXDOT condemned bridge (4/26/11),
428	2.8	Seal-coat	1	4	Applied TX Glue (04/24/12), Bridge replaced in 2004, Installed 18" & 30' arched pipe and 24" & 30" arched pipe and 30" & 30' arched pipe (2/28-29/12). Erected Historical Marker (05/07/12) Installed driveway culvert(03/06/13). Cleared ROW (05/16/13) Shredded (07/02/13)
429	3.4	Gravel	1	10	
430	3.8	Gravel	0	6	Applied Glue (6/5/13); Cleared ROW (06/27 & 28/13)
430-A	0.5	Gravel			
431	0.85	Gravel	0	4	Applied base and glue (06/5/2013)
432	4.3	Gravel	0	6	Applied Glue (6/5/13) Installed 12"x30' culvert (07/30/13)
434	6.5	Seal-coat	0	12	Patched Road (05/07/13); Sprayed weeds (06/24/13)
436	0.6	Gravel	0	3	Bladed, rolled & oiled (06/19/13)
437	2	Seal-coat 1.25 & Gravel 75	0	7	Applied TX Glue (07/19/12), Applied Economy Glue 04/16 & 17/13.
438	1.9	Gravel	0	2	Bladed, rolled & oiled (06/19/13)
439	2.4	Gravel	0	5	
440	5.4	Seal-coat & Gravel	3	8	Brushy Creek bridge replaced in 2001-Relief bridges need replacing. Seal-coated 1 mile from intersection of CR 446 & seal-coated over Texas Road Glue (8/16/11), Hauled RAPS (10/4/11)Applied TX Glue (06/6, 06/14-15), Seal-Coated from 446 to 442 (08/14-15/12)
442	2	Seal-coat	0	7	Replaced 12 ft. culvert (6/07), Seal-coated (09/27-28/11)
443	8.5	Seal-coat & Gravel	3	11	Brushy Creek bridge replaced in 2002, Turkey Creek bridge replaced in 2000, Hauled RAPS 09/19-20/11) Installed 40' gal. arched culvert 04/25/13. Cleared ROW (05/09/13) Installed 40' 142x91 alum pipe(05/21/13); patched road (06/12/13); Bladed, rolled & oiled (06/19/13); Sprayed weeds (06/24/13)

Road Number	Length	Surface	Bridges	Culverts	Comments
446	8.1	Seal-coat	0	17	Replaced 7 ft. Culvert (3/8/11) Installed 40' arched alum. 4' dia w/5' sloped ends. 1/2 mile off Hwy 79.(02/20/13) Patched road (05/01/13)
446-A	0.4	Gravel			
447	3.3	Gravel			TO Robbins- Watered, rolled & Oiled (07/11/13)
448	8.5	Seal-coat & Gravel	0	11	Seal-coated from intersection CR 455 1.2 miles with RAPS (09/01/11), Installed Culvert 24" & 50' Arched pipe (11/18/11) Installed 36" & 50' pipe 11/29/11), Applied TX Glue (08/02/12), Hauled Chist mixed with Texas Glue (09/25/2012) Patched Road (05/06/13)(05/29/2013) Watered, Blade & Oiled (07/01/13)
448-A	0.5	Gravel	0	1	Installed 48" x40' Alum Arched Culvert (04/10/12)
449	4	Seal-coat 2.0 & Gravel 2.0	0	5	Installed 48" x 40' Alum arched culvert (03/28/12)
449-A	0.6	Gravel	0	2	
450	4	Seal-coat	0	8	
451	0.5	Seal-coat	0	1	
452	0.7	Gravel	0	1	
454	4.7	Seal-coat 2.5 & Gravel 2.2	0	8	
455	10.6	Seal-coat	0	15	Replaced(John Caffey) 48" culverts (06-09), Replaced 9 ft. & 50 ft. (7/12/11) (Conley)Patched Road (05/06/13)(05/29 & 30/2013) Installed 24"x30' culvert (07/30/13)
456	2.1	Gravel	0	3	To Scruggs watered, rolled & oiled (07/11/13)
457	4.3	Seal-coat & Gravel	0	6	Applied TX Glue (07/18/12); 01/31/13 Cleared ROW; Patched road (05/12/13)(05/14/13)(08/02/13)
458	2.2	Seal-coat	0	6	Placed RAPS (04/16/12)Patched Road (08/02/13)
458-A	3.1	Seal-coat	0	6	Seal-coated in (8/06)
459	1.7	Gravel .3 & Seal-coat	0	4	Installed 11.4"x45' Alum Culvert (04/12-13/12); Bladed, rolled & oiled (06/20/13); Installed 12"x30' 16 gauge culvert 06/21/13;
460	1.9	Gravel	0	3	
461	0.4	Seal-coat	0	2	
470	0.35	Gravel	0	1	
Griffith Lane	0.5	Gravel	0	2	
Bush Road	0.9	Seal-coat	0	3	Patched Road (06/14/13)
Perry Lane	1.1	Gravel	0	2	Applied Glue (09/18/12); Bladed, rolled & oiled (06/20/13)
Cumley Lane	1.2	Gravel	0	3	
Jost Lane	0.6	Gravel	0	2	
Champions Drive	0.55	Seal-coat	0	1	Applied bladed mix (09/2010)
Praesel Addition	2.45	Seal-coat	0	22	Patched Roads (06/13/13)

Road Number	Length	Surface	Bridges	Culverts	Comments
Russel Addition	0.4	Seal-coat	0	2	Patched road (05/01/13)
Cypress Trail	2.2	Seal-coat	0	5	Installed 40"x5' Arched Alum Pipe(09/26/12)
Western Hills	1.5	Seal-coat	0	5	Patched Roads (07/01/2013)
Oak Park Addition	1.45	Seal-coat	0	5	
Rockdale West	0.7	Seal-coat	0	4	
Boyd Lane	0.3	Seal-coat	0	2	
Elm Creek Estates	0.85	Seal-coat	0	2	Installed 72 in X 40 ft. aluminized culvert (3/2/12)
Gabriel's Crossing Addition	0.5	Seal-coat	0	5	
All Day St.	0.5	Seal-coat	0	0	
Beverly Dr.	0.5	Seal-coat	0	0	
Sandoval Rd.	0.5	Seal-coat	0	1	
Total Miles	179.1				
Total Bridges			8		
Total Culverts				383	